

LICENSED

PERIOD 2015-2017 LIC. NO.

8017.71

LICENSED

PERIOD 2012-2014 LIC. NO.

LICENSED

PERIOD 2009-2011 LIC. NO.



Envy® foaming disinfectant cleaner

- Bactericidal • Fungicidal
- Mildewstatic • *Virucidal

Meets OSHA Bloodborne Pathogen
Standard for *HBV & *HIV

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	0.106%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chloride	0.106%
OTHER INGREDIENTS:	99.788%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

See directions and additional precautionary statements on back.

**FOAMS AWAY DIRT
DISINFECTS IN 3 MINUTES!
WON'T SCRATCH
JUST SPRAY AND WIPE**

FOR INSTITUTIONAL USE

Net Wt.:

19 oz (1 lb 3 oz)

04531

This product cleans and disinfects surfaces with a simple spray and wipe. No mixing, no buckets, no rinsing required (other than food contact surfaces). Foam dissolves dirt, grime, mold, mildew and other common soils and even stains found in hospitals, nursing homes, schools and colleges, offices, hotels, motels, public restrooms, and restaurants.

Its non-abrasive formula is designed for use on the following hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, laminated surfaces and baked enamel surfaces associated with walls, ceilings, tables, chairs, countertops, kitchen areas, telephones, fixtures, glazed tile, toilets, urinals, sinks, shower rooms and locker room areas – any washable surface where disinfection is required. A potable water rinse is required for all food contact surfaces. This product must not be used to clean the following surfaces: utensils, glassware, and dishes.

This product is highly effective against a wide variety of pathogenic microorganisms including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew.

Bacteria - kills on hard non-porous environmental surfaces: *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (ATCC 6538), *Salmonella enterica* (ATCC 10708) (formerly known as *Salmonella choleraesuis*), *Enterococcus faecalis* (ATCC 19433) (formerly known as *Streptococcus faecalis*), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43890)

See reference sheet for a complete list of organisms.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product can be applied by cloth, sponge, paper towel or sprayed directly on the surface. Change cloth, sponges or towels frequently to avoid redeposition of soil.

For General Cleaning and/or Deodorizing:

Hold can upright. Spray foam evenly over surface. Wipe with clean cloth, sponge or paper towel. For heavily soiled areas or stubborn spots, let foam stay on the surface longer before wiping.

For One-Step Cleaning/Disinfecting:

1. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
2. Let this product remain on surface for 3 minutes.
3. Wipe with clean cloth, sponge or paper towel.
4. A potable water rinse is required for all food contact surfaces.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, and dishes.

Fungi:

1. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
2. Let this product remain on surface for 3 minutes. For *Trichophyton mentagrophytes* (athlete's foot fungus) let remain on surface for 10 minutes.
3. Wipe with clean cloth, sponge or paper towel.

To Prevent Mold and Mildew:

1. Thoroughly clean surface prior to treatment.
2. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
3. Let this product remain on surface for 3 minutes.
4. Allow to air dry.
5. Repeat application weekly or when growth reappears.

Questions? Comments:
1-800-558-2332 /
www.diversey.com

MSDS Ref. No. MS0300752
Contains no CFCs or other known ozone depleting substances.

***Kills HBV, HCV and HIV-1 in one minute on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus, Hepatitis C Virus and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV, HCV and HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:

Personal Protection: Disposable latex or vinyl gloves, gown, face masks, and eye coverings as appropriate, must be worn during all cleaning of body fluids, blood and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HBV, HCV and HIV-1. Allow 10 minutes for *Trichophyton mentagrophytes* and 3 minutes to kill all other organisms cited on the label.

Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate. Nonrefillable container. Do not reuse or refill this container. If empty, this container may be recycled in aerosol recycling centers. At present there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label. If recycling is not available, wrap the container in newspaper and discard in trash. If partly filled, call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.


**IN CASE OF EMERGENCY, CALL A POISON CONTROL
CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

Manufactured for:
©2010 Diversey, Inc.,
8310 16th Street,
Sturtevant, WI 53177-1964
U.S.A.
EPA Reg. No. 70627-35
EPA Est. 4822-WI-1

748110

DI 5516794 (10/350)



Envy®

foaming disinfectant cleaner

This product is highly effective against a wide variety of pathogenic microorganisms. Using the Germicidal Spray Test Method under Good Laboratory Practices, 10% organic soil load and a 3 minute contact time unless otherwise noted, this product kills the following on hard, non-porous environmental surfaces:

Bacteria –

Pseudomonas aeruginosa, (ATCC 15442)
Staphylococcus aureus, (ATCC 6538)
Salmonella enterica, (ATCC 10708)
 (formerly known as *Salmonella choleraesuis*)
Acinetobacter calcoaceticus, (ATCC 9957)
Brevibacterium ammoniagenes, (ATCC 6872)
Burkholderia cepacia, (ATCC 25416)
 (formerly known as *Pseudomonas cepacia*)
Campylobacter fetus, (ATCC 27374)
Citrobacter freundii, (ATCC 8090)
Chlamydia psittaci, (VR-125)
Enterobacter aerogenes, (ATCC 13048)
Enterobacter agglomerans, (ATCC 27155)
Enterobacter cloacae, (ATCC 23355)
Enterobacter gergoviae, (ATCC 33028)
Enterobacter liquefaciens, (ATCC 14460)
Enterococcus faecalis, (ATCC 19433)
 (formerly known as *Streptococcus faecalis*)
Enterococcus hirae, (ATCC 10541)
Escherichia coli, (ATCC 11229)
Escherichia coli O157:H7, (ATCC 43890)
Flavobacterium meningosepticum, (ATCC 13253)
Haemophilus influenzae, (ATCC 10211)
Hafnia alvei, (ATCC 13337)
Klebsiella oxytoca, (ATCC 13182)
Klebsiella pneumoniae, (ATCC 13883)
Legionella pneumophila, (ATCC 33153)
Listeria monocytogenes, (ATCC 15313)
Micrococcus luteus, (ATCC 4698)
Micrococcus luteus, (ATCC 14452)
Micrococcus sedentarius, (ATCC 27573)
Morganella morganii, (ATCC 25830)
Neisseria gonorrhoeae, (ATCC 43069)
Pasteurella multocida, (ATCC 43137)
Proteus mirabilis, (ATCC 9240)
Proteus vulgaris, (ATCC 13315)
Pseudomonas diminuta, (ATCC 11568)
Pseudomonas fluorescens, (ATCC 13525)
Pseudomonas putida, (ATCC 12633)
Pseudomonas stutzeri, (ATCC 17588)
Salmonella choleraesuis pullorum, (ATCC 19945)
Salmonella enteritidis, (ATCC 13076)
Salmonella gallinarum, (ATCC 9184)
Salmonella schottmuelleri, (ATCC 10719)
Salmonella typhi, (ATCC 6539)
Salmonella typhimurium, (ATCC 13311)
Serratia grimesii, (ATCC 14460)
Serratia liquefaciens, (ATCC 14460)
Shigella dysenteriae, (ATCC 29026)
Shigella flexneri, (ATCC 25875)
Shigella sonnei, (ATCC 25931)

Staphylococcus aureus, (ATCC 25923)
Staphylococcus aureus (Toxic Shock), (ATCC 33586)
Staphylococcus epidermidis, (ATCC 14990)
Staphylococcus haemolyticus, (ATCC 29970)
Staphylococcus saprophyticus, (ATCC 15305)
Staphylococcus species, (ATCC 12715)
Streptococcus agalactiae, (ATCC 13813)
Streptococcus mutans, (ATCC 25175)
Streptococcus pyogenes, (ATCC 19615)
Vibrio cholerae, (ATCC 11623)
Yersinia enterocolitica, (ATCC 9610)

Antibiotic-Resistant Bacteria –

E. coli, (ATCC 55244, 47041 & 29181)
 (Resistant to Kanamycin, Tetracycline, Trimethoprim, Streptomycin)
Enterococcus faecalis, (ATCC 51299) (Resistant to Vancomycin (VRE))
Enterococcus faecium, (ATCC 51559) (Resistant to Vancomycin (VRE),
 Ampicillin, Ciprofloxacin, Gentamicin, Rifampin, Teicoplanin)
Klebsiella oxytoca, (ATCC 15764) (Resistant to Ampicillin, Dihydrostreptomycin)
Micrococcus sedentarius, (ATCC 27573) (Resistant to Methicillin)
Staphylococcus aureus, (CDC HIP-5836) (Intermediate resistance to
 Vancomycin (VISA))
Staphylococcus aureus, (ATCC 14154) (Resistant to Erythromycin, Penicillin,
 Streptomycin, Tetracycline)
Staphylococcus aureus, (ATCC 33592) (Resistant to Methicillin (MRSA),
 Gentamicin (GRSA))
Streptococcus pneumoniae, (ATCC 51915) (Resistant to Penicillin (PRSP))

*Viruses –

*Adenovirus Type 2, (VR-846)	*Parainfluenza Type 3, (VR-93)
*Cytomegalovirus, (VR-538)	*Poliovirus Type 1, (VR-192)
*Hepatitis A virus (HAV), (VR-1073)	*Respiratory syncytial virus, (VR-26)
*Herpes simplex Type 1, (VR-733)	*Rhinovirus Type 39, (VR-340)
*Herpes simplex Type 2, (VR-734)	*Rotavirus, (Strain WA)
*Human Coronavirus (VR-740)	*Vaccinia virus, (VR-119)
*Influenza Type A ₂ (Hong Kong), (VR-544)	

Kills *HBV, *HCV and *HIV-1 (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

*Kills Pandemic 2009 H1N1 Influenza A virus.

Fungi –

Geotrichum candidum, (ATCC 18301)

Kills *Trichophyton mentagrophytes*, (ATCC 9533) (athlete's foot fungus) in 10 minutes when applied to shower and locker room floors, benches, and floor mats and other hard, non-porous environmental surfaces where *Trichophyton mentagrophytes* (athlete's foot fungus) may be found.

Mold/Mildew Control – controls and prevents the growth of mold and mildew (such as *Aspergillus niger* (ATCC 6275)) and the odors caused by them when applied to previously cleaned hard, non-porous environmental surfaces.

Malodor Control – eliminates odors and odor-causing bacteria in restroom areas on hard, nonporous surfaces, behind and under sinks and counters, garbage cans and storage areas and other places where bacterial growth can cause malodors.

See container label for First Aid, Precautionary Statements and complete Directions for Use.

EPA Reg. No. 70627-35