

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

**WILL DAMAGE MATERIALS UPON CONTACT. TRANSPORT IN BLOCKED, UPRIGHT POSITION IN TRUNK ONLY.
ENSURE CAP IS TIGHT BEFORE LEAVING STORE. KEEP BOTTLE UPRIGHT AND TIGHTLY CAPPED AT ALL TIMES.**

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE: . . . 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%

Shock

CHLORINATING LIQUID FOR POOLS & SPAS

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when you call a poison control center (1-800-222-1222), or when going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See back panel for additional precautions.

NET CONTENTS 128 FL OZ (1 GAL) 3.79 L



LICENSED

PERIOD 2014-2016 LIC. NO.

8177.7



LICENSED

PERIOD 2011-2013 LIC. NO.



LICENSED

PERIOD 2008-2010 LIC. NO.

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION:

- For a new pool or spring start-up, superchlorinate with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.
- To maintain the pool, add manually or by a feeder device 13 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.
- Every 7 days, or as necessary, superchlorinate the pool with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.
- At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS:

- While water is still clear & clean, apply 4 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

SPAS/HOT-TUBS:

- Apply 7 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.
- To maintain the water, apply 7 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.
- After each use, shock treat with 10 oz. of this product per 500 gallons of water to control odor and algae.
- During extended periods of disuse, add 4 oz. of product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

HYDROTHERAPY TANKS:

- Add 1.5 oz. of this product per 1000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.



**WILL DAMAGE MATERIALS UPON CONTACT.
TRANSPORT IN BLOCKED, UPRIGHT POSITION IN TRUNK ONLY.
ENSURE CAP IS TIGHT BEFORE LEAVING STORE.
KEEP BOTTLE UPRIGHT AND TIGHTLY CAPPED AT ALL TIMES.**

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not discharge into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical and Chemical Hazards

Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toiletbowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. CONTAINER HANDLING: Non refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

Manufactured by: KIK International Inc., 33 Macintosh Blvd., Concord, Ontario, Canada L4K 4L5

EPA REG NO.: 70271-10
EPA EST. NO.: 70271-CA-02, CAN-01, CO-01,
FL-01, GA-01, TX-01, VA-01, WA-01, 55852-IL-01.

See container for actual producing establishment.

SHOCK

EPA REG. NO. 70271-10

2-Pack Carton

TO BE SOLD AS A TWO PACK CASE ONLY.

DO NOT STORE THIS PRODUCT NEXT TO ACID.

STORE IN A COOL, DRY PLACE.

See side of carton for complete storage and disposal language.

Manufactured by: KIK International Inc., 33 Macintosh Blvd., Concord, Ontario, Canada L4K 4L5

EPA REG NO.: 70271-10

EPA EST. NO.: 70271-CA-02, CAN-01, CO-01, FL-01, GA-01, TX-01, VA-01, WA-01, 55852-IL-01.

See container for actual producing establishment.

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE: . . . 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%

Shock

**CHLORINATING LIQUID FOR
POOLS & SPAS**

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: Call a poison control center (1-800-222-1222) or doctor immediately for treatment advice. Have the product container or label with you when you call a poison control center, or when going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See inner packaging for additional precautions.



**NET CONTENTS: 2 GALLONS (7.57 LITERS)
GROSS WT. 20 LBS.**



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

8177.7



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2011-2013 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2008-2010 LIC. NO.



PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not discharge into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical and Chemical Hazards

Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. **CONTAINER HANDLING:** Non refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

CONSUMER COMMODITY

ORM-D

ATTENTION:
VENTED CAP MAY LEAK WHEN TIPPED.
WILL DAMAGE MATERIALS UPON CONTACT.
TRANSPORT IN BLOCKED, UPRIGHT POSITION IN TRUNK ONLY.
ENSURE CAP IS TIGHT BEFORE LEAVING STORE.
KEEP BOTTLES UPRIGHT AND TIGHTLY CAPPED AT ALL TIMES.

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE: . . . 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%

Shock

**CHLORINATING LIQUID FOR
POOLS & SPAS**

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: Call a poison control center (1-800-222-1222) or doctor immediately for treatment advice. Have the product container or label with you when you call a poison control center, or when going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See inner packaging for additional precautions.

NET CONTENTS: 2 GALLONS (7.57 LITERS)
GROSS WT. 20 LBS.





DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION:

- For a new pool or spring start-up, superchlorinate with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.
- To maintain the pool, add manually or by a feeder device 13 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.
- Every 7 days, or as necessary, superchlorinate the pool with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.
- At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS:

- While water is still clear & clean, apply 4 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

SPAS/HOT-TUBS:

- Apply 7 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.
- To maintain the water, apply 7 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.
- After each use, shock treat with 10 oz. of this product per 500 gallons of water to control odor and algae.
- During extended periods of disuse, add 4 oz. of product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

HYDROTHERAPY TANKS:

- Add 1.5 oz. of this product per 1000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.



2 00 70338 12222 8

SHOCK

EPA REG. NO. 70271-10

4-Pack Carton



LICENSED

PERIOD 2014-2016 LIC. NO. **8177.7**



LICENSED

PERIOD 2011-2013 LIC. NO.



LICENSED

PERIOD 2008-2010 LIC. NO.

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE: . . . 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%



Shock

**CHLORINATING LIQUID FOR
POOLS & SPAS**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: Call a poison control center (1-800-222-1222) or doctor immediately for treatment advice. Have the product container or label with you when you call a poison control center, or when going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See inner packaging for additional precautions.



**NET CONTENTS: 4 GALLONS (15.16 LITERS)
GROSS WT. 40 LBS.**



1 00 70338 12222 1

**CHLORINATING LIQUID FOR
POOLS & SPAS**



ACTIVE INGREDIENT: 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.



CONSUMER COMMODITY

ORM-D



PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not discharge into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical and Chemical Hazards


Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product residues that cannot be used should be diluted with water before disposal in a sanitary sewer. **CONTAINER HANDLING:** Non refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.



DO NOT STACK CARTON OVER 5 HIGH



0 59647 34005 X

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE: . . . 10.0%
OTHER INGREDIENTS: 90.0%
TOTAL: 100.0%



Shock

**CHLORINATING LIQUID FOR
POOLS & SPAS**

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: Call a poison control center (1-800-222-1222) or doctor immediately for treatment advice. Have the product container or label with you when you call a poison control center, or when going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See inner packaging for additional precautions.



**NET CONTENTS: 4 GALLONS (15.16 LITERS)
GROSS WT. 40 LBS.**



1 00 70338 12222 1

ATTENTION:
VENTED CAP MAY LEAK WHEN TIPPED.
WILL DAMAGE MATERIALS UPON CONTACT.
TRANSPORT IN BLOCKED, UPRIGHT POSITION IN TRUNK ONLY.
ENSURE CAP IS TIGHT BEFORE LEAVING STORE.
KEEP UPRIGHT AND TIGHTLY CAPPED AT ALL TIMES.

DO NOT STORE THIS PRODUCT NEXT TO ACID.
STORE IN A COOL, DRY PLACE.

See side of carton for complete storage and disposal language.

Manufactured by: KIK International Inc., 33 Macintosh Blvd., Concord, Ontario, Canada L4K 4L5
EPA REG NO.: 70271-10
EPA EST. NO.: 70271-CA-02, CAN-01, CO-01, FL-01, GA-01, TX-01, VA-01, WA-01, 55852-IL-01.
See container for actual producing establishment.

ATTENTION: VENTED CAP MAY LEAK WHEN TIPPED.



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION:

- For a new pool or spring start-up, superchlorinate with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.
- To maintain the pool, add manually or by a feeder device 13 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.
- Every 7 days, or as necessary, superchlorinate the pool with 64 to 128 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.
- At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS:

- While water is still clear & clean, apply 4 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

SPAS/HOT-TUBS:

- Apply 7 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.
- To maintain the water, apply 7 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.
- After each use, shock treat with 10 oz. of this product per 500 gallons of water to control odor and algae.
- During extended periods of disuse, add 4 oz. of product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

HYDROTHERAPY TANKS:

- Add 1.5 oz. of this product per 1000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.



DO NOT STACK CARTON OVER 5 HIGH

