STATE OF HAWAII
Department of Agriculture

ACCEPTED
LICENSE NO. 8218.72

Martin's®

FAST ACTING!
One application kills weeds for up to one year

ERASER™ MAX

SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Works two ways**
- **Season long control**
- **Covers 4,324 square feet**

RAINFAST WITHIN ONE HOUR

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	43.68%
Imazapyr, isopropylamine salt**	00.78%
OTHER INGREDIENTS:	55.54%
TOTAL:	100.00%

ACID EQUIVALENT:* Glyphosate: 3.158 lbs/gal ** Imazapyr:0.062 lbs/gal

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.(If you do not understand the label, find someone to explain it to you in detail.)

See booklet for First Aid and additional Precautionary Statements

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.
For Medical Emergencies Only, Call (866) 897-8050

CONTROLS:

- Grasses
- Broadleaf Weeds
- Brush and Vines

FOR UP TO ONE YEAR

EPA Reg. No. 35935-94-53883

EPA Est. No. 53883-TX-002

A **CONTROL SOLUTIONS INC.** PRODUCT

NET CONTENTS: **ONE QUART** (946 mL)

0 72693 24885 4

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER – PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are natural rubber > 14 mils. If you want more options, follow the instructions for category A on an EPA chemical-resistance selection chart.

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean

diameter (VMD) of 385 micros or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on non-crops areas: Industrial sites, Petroleum tank farms, Lumberyards, Manufacturing Sites, Storage Areas, Airports, Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Patios, Vacant lots, Paved areas (including crack and crevice), Warehouse areas, Urban areas, Recreational areas, Play areas, Tennis courts, Fencerows, Along fences of paddocks, corrals, feedlots, and livestock holding areas, Hedgerows, Dry Ditchbanks, Around domestic dwellings, Around farm buildings and barns, Agricultural uncultivated areas, Shelter beds, Farm yards, Farm premises, Outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses, and For establishment and maintenance of wildlife openings

Apply to locations only where no vegetation growth is desired for up to one year.

WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than six inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Avoiding product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems or desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed one year.
- Do not use on desirable lawns.
- Do not apply when wind speeds are greater than 10 miles per hour.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

HOW TO APPLY

Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled lists

GRASS/NUTSEDGE WEED SPECIES CONTROLLED

Bahiagrass
Paspalum notatum
Bentgrass
Agrostis spp.
Bermudagrass
Cynodon dactylon
Bluegrass, Kentucky
Poa spp.
Brome
Bromus spp.
Bromegrass, smooth
Bromus inermis
Canarygrass, reed
Phalaris arundinacea
Cattail
Typha spp.
Cogongrass
Imperata cylindrical
Dallisgrass
Paspalum dilatatum
Fescues
Festuca spp.
Fescue, tall
Festuca arundinacea
Guineagrass
Panicum maximum
Johnsongrass
Sorghum halepense
Kikuyugrass
Pennisetum clandestinum
Knotgrass
Paspalum distichum
Muhly, wirestem
Muhlenbergia frondonsa
Napier grass
Pennisetum purpureum
Nutsedge; purple, yellow
Cyperus rotundus
Cyperus esculentus
Orchardgrass
Dactylis glomerata
Pampas grass
Cortaderia spp.
Panicum
Panicum spp.

GRASS/NUTSEDGE WEED SPECIES CONTROLLED

(continued)

Para grass
Brachiaria mutica
Phragmites*
Phragmites spp.
Quackgrass
Agropyron repens
Reed, giant
Arundo donax
Ryegrass, perennial
Lolium perenne
Timothy
Phleum pratense
Torpedograss*
Panicum repens
Vaseygrass
Paspalum urvillei
Velvetgrass
Holcus spp.
Wheatgrass, western
Agropyron smithii

* Partial Control

BROADLEAF WEED SPECIES CONTROLLED

Alfalfa
Medicago sativa
Alligatorweed*
Alternanthera philoxeroides
Anise (fennel)
Foeniculum vulgare
Artichoke, Jerusalem
Helianthus tuberosus
Bassia, fivehook
Bassia hyssopifolia
Bindweed, field
Convolvulus arvensis
Blueweed, Texas
Helianthus ciliaris
Bracken fern
Pteridium aquilinum
Bursage, woollyleaf
Franseria tomentosa
Clover, red
Trifolium pretense
Clover, white
Trifolium repens
Dandelion
Taraxacum officinale
Dock, curly
Rumex crispus
Dogbane, hemp
Apocynum cannabinum
Fiddleneck
Amsinckia spp.
Fleabane
Erigeron spp.
Fleabane, hairy
Conyza bonariensis
Horsenettle
Solanum carolinense
Horseradish
Armoracia rusticana
Ice plant
Mesembryanthemum crystal-linum
Knapweed
Centaurea repens
Kochia
Kochia scoparia
Lantana
Lantana camara
Lespedeza
Lespedeza spp.
Lettuce, prickly
Lactuca serriola
Milkweed
Asclepias spp.
Mullein, common
Verbascum thapsus

* Partial Control

BROADLEAF WEED SPECIES CONTROLLED

(continued)

Nightshade, silverleaf
Solanum elaeagnifolium
Poison hemlock
Conium maculatum
Ragweed, common
Ambrosia artemisiifolia
Ragweed, giant
Ambrosia trifida
Smartweed, Pennsylvania
Polygonum pensylvanicum
Smartweed, swamp
Polygonum coccineum
Sowthistle, annual
Sonchus oleraceus
Spurge, leafy*
Euphorbia esula
Starthistle, yellow
Centaurea solstitalis
Sunflower
Helianthus annuus
Thistle, artichoke
Cynara cardunculus
Thistle, Canada
Cirsium arvense
Thistle, Russian
Salsola kali
Velvetleaf
Abutilon theophrasti

* Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED

Alder
Alnus spp.
Ash
Fraxinum spp.
Aspen, quaking
Populus tremuloides
Balsam apple*
Momordica charantia
Bearmat (Bearclover)
Chamaebatia foliolosa
Beech
Fagus grandifolia
Birch
Betula spp.
Blackberry
Rubus spp.
Blackgum
Nyssa spp.
Bracken
Peridium spp.
Broom:
French
Cytisus monspessulanus
Scotch
Cytisus scoparius
Buckwheat, California*
Eriogonum fasciculatum
Cascara*
Rhamnus purshiana
Catsclaw*
Acacia greggi
Ceanothus*
Ceanothus spp.
Chamise
Adenostoma fasciculatum
Cherry:
Bitter
Prunus emarginata
Black
Prunus serotina
Pin
Prunus pensylvanica
Coyote brush
Baccharis consanguinea
Creeper, Virginia*
Parthenocissus quinquefolia
Dewberry
Rubus trivialis

*Partial Control, **This product is not registered in California for use on Russian olive.

TREE, BRUSH AND VINE SPECIES CONTROLLED

(continued)

Dogwood*
Cornus spp.
Elderberry
Sambucus spp.
Elm*
Ulmus spp.
Eucalyptus
Eucalyptus spp.
Gorse
Ulex europaeus
Hasardia*
Haplopappus squamosus
Hawthorn
Crataegus spp.
Hazel
Corylus spp.
Hickory*
Carya spp.
Holly, Florida/Brazilian
Peppertree*
Schinus terebinthifolius
Honeysuckle
Lonicera spp.
Hornbean, American*
Carpinus caroliniana
Kudzu
Pueraria lobata
Locust, black*
Robinia pseudoacacia
Madrone
Arutus menziesii
Manzanita
Arctostaphylos spp.
Maple:
- **Red****
  Acer rubrum
- **Sugar**
  Acer saccharum
- **Vine**
  Acer circinatum

Monkey Flower*
Mimulus guttatus
Oak:
- **Black***
  Quercus velutina
- **Northern Pin**
  Quercus palustris
- **Post**
  Quercus stellata
- **Red**
  Quercus rubra
- **Southern Red**
  Quercus falcate
- **White***
  Quercus alba

Persimmon*
Diospyros spp.
Pine
Pinus spp.
Poison Ivy
Rhus radicans
Poison Oak
Rhus toxicodendron
Poplar, yellow*
Liriodendron tulipifera
Raspberry
Rubus spp.
Redbud, eastern
Cercis canadensis
Redvine*
Brunnichia ovate
Rose, multiflora
Rosa multiflora
Russian olive**
Elaeagnus angustifolia
Sage: black, white
Salvia spp.
Sagebrush, California
Artemisia californica
Salmonberry
Rubus spectabilis

*Partial Control, **This product is not registered in California for use on Russian olive.

TREE, BRUSH AND VINE SPECIES CONTROLLED

(continued)

Salt cedar
Tamarixs spp.
Sassafras
Sassafras aibidum
Sourwood
Oxydendrum arboreum
Sweet potato, wild*
Ipomoea pandurata
Sumac:
Poison*
Rhus vernix
Smooth*
Rhus glabra
Winged*
Rhus copallina
Sweetgum
Liquidambar styraciflua
Swordfern*
Polystichum munitum
Tallowtree, Chinese
Sapium sebiferum
Tan Oak
Lithocarpus densiflorus
Thimbleberry
Rubus parviflorus
Tobacco, tree*
Nicotiana glauca
Trumpetcreeper*
Campsis radicans
Waxmyrtle, southern*
Myrica cerifera
Willow
Salix spp.

*Partial Control, **This product is not registered in California for use on Russian olive.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

STORAGE AND DISPOSAL (continued)

CONTAINER DISPOSAL:

Nonrefillable containers smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by applicable law, Control Solutions, Inc. shall not be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein and to the extent consistent with applicable law, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any

particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.
Buyer and user assume all responsibilities for safety and use not in strict accordance with directions.

RV121211

Manufactured by
CONTROL SOLUTIONS, INC.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

ERASER MAX
SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Use 7.4 oz. per 1,000 square feet**
- **Season long control**
- **Rainfast within one hour**

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	**43.68%**
Imazapyr, isopropylamine salt**	**00.78%**
OTHER INGREDIENTS:	**55.54%**
TOTAL:	**100.00%**

ACID EQUIVALENT: * Glyphosate: 3.158 lbs/gal ** Imazapyr:0.062 lbs/gal

EPA Reg. No. 35935-94-53883 **EPA Est. No. 53883-TX-002**

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)
See booklet for First Aid and additional Precautionary Statements

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.
For Medical Emergencies Only, Call (866) 897-8050

CONTROL SOLUTIONS INC.
5903 GENOA-RED BLUFF ROAD
PASADENA TEXAS 77507

Net Contents: 1 QUART (946 mL)

Martin's®

FAST ACTING!
One application kills weeds for up to one year

ERASER™ MAX

CONTROLS:

- Grasses
- Broadleaf Weeds
- Brush and Vines

FOR UP TO ONE YEAR

EPA Reg. No. 35935-94-53883

EPA Est. No. 53883-TX-002

A **CONTROL SOLUTIONS INC.** PRODUCT

NET CONTENTS: **ONE GALLON** (3.79 L)

0 72693 24898 4

SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Works two ways**
- **Season long control**
- **Covers 17,297 square feet**

RAINFAST WITHIN ONE HOUR!

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt* ...	**43.68%**
Imazapyr, isopropylamine salt**	**00.78%**
OTHER INGREDIENTS:.....	**55.54%**
TOTAL:.....	**100.00%**

ACID EQUIVALENT:
* Glyphosate: 3.158 lbs/gal ** Imazapyr:0.062 lbs/gal

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.(If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accidentcall CHEMTREC 1-800-424-9300.
For Medical Emergencies Only, Call (866) 897-8050.

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER – PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are natural rubber > 14 mils. If you want more options, follow the instructions for category A on an EPA chemical-resistance selection chart.

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean

diameter (VMD) of 385 micros or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on non-crops areas: Industrial sites, Petroleum tank farms, Lumberyards, Manufacturing Sites, Storage Areas, Airports, Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Patios, Vacant lots, Paved areas (including crack and crevice), Warehouse areas, Urban areas, Recreational areas, Play areas, Tennis courts, Fencerows, Along fences of paddocks, corrals, feedlots, and livestock holding areas, Hedgerows, Dry Ditchbanks, Around domestic dwellings, Around farm buildings and barns, Agricultural uncultivated areas, Shelter beds, Farm yards, Farm premises, Outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses, and For establishment and maintenance of wildlife openings

Apply to locations only where no vegetation growth is desired for up to one year.

WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than six inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Avoiding product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems or desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed one year.
- Do not use on desirable lawns.
- Do not apply when wind speeds are greater than 10 miles per hour.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

HOW TO APPLY

Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled lists

GRASS/NUTSEDGE WEED SPECIES CONTROLLED

Bahiagrass
Paspalum notatum
Bentgrass
Agrostis spp.
Bermudagrass
Cynodon dactylon
Bluegrass, Kentucky
Poa spp.
Brome
Bromus spp.
Bromegrass, smooth
Bromus inermis
Canarygrass, reed
Phalaris arundinacea
Cattail
Typha spp.
Cogongrass
Imperata cylindrical
Dallisgrass
Paspalum dilatatum
Fescues
Festuca spp.
Fescue, tall
Festuca arundinacea
Guineagrass
Panicum maximum
Johnsongrass
Sorghum halepense
Kikuyugrass
Pennisetum clandestinum
Knotgrass
Paspalum distichum
Muhly, wirestem
Muhlenbergia frondonsa
Napier grass
Pennisetum purpureum
Nutsedge; purple, yellow
Cyperus rotundus
Cyperus esculentus
Orchardgrass
Dactylis glomerata
Pampas grass
Cortaderia spp.
Panicum
Panicum spp.
Para grass
Brachiaria mutica
Phragmites*
Phragmites spp.
Quackgrass
Agropyron repens
Reed, giant
Arundo donax
Ryegrass, perennial
Lolium perenne
Timothy
Phleum pratense
Torpedograss*
Panicum repens
Vaseygrass
Paspalum urvillei
Velvetgrass
Holcus spp.
Wheatgrass, western
Agropyron smithii

* Partial Control

BROADLEAF WEED SPECIES CONTROLLED

Alfalfa
Medicago sativa
Alligatorweed*
Alternanthera philoxeroides
Anise (fennel)
Foeniculum vulgare
Artichoke, Jerusalem
Helianthus tuberosus
Bassia, fivehook
Bassia hyssopifolia
Bindweed, field
Convolvulus arvensis
Blueweed, Texas
Helianthus ciliaris
Bracken fern
Pteridium aquilinum
Bursage, woollyleaf
Franseria tomentosa
Clover, red
Trifolium pretense
Clover, white
Trifolium repens
Dandelion
Taraxacum officinale
Dock, curly
Rumex crispus
Dogbane, hemp
Apocynum cannabinum
Fiddleneck
Amsinckia spp.
Fleabane
Erigeron spp.
Fleabane, hairy
Conyza bonariensis
Horsenettle
Solanum carolinense
Horseradish
Armoracia rusticana
Ice plant
Mesembryanthemum crystallinum
Knapweed
Centaurea repens
Kochia
Kochia scoparia

* Partial Control

BROADLEAF WEED SPECIES CONTROLLED (continued)

Lantana
Lantana camara
Lespedeza
Lespedeza spp.
Lettuce, prickly
Lactuca serriola
Milkweed
Asclepias spp.
Mullein, common
Verbascum thapsus
Nightshade, silverleaf
Solanum elaeagnifolium
Poison hemlock
Conium maculatum
Ragweed, common
Ambrosia artemisiifolia
Ragweed, giant
Ambrosia trifida
Smartweed, Pennsylvania
Polygonum pensylvanicum
Smartweed, swamp
Polygonum coccineum
Sowthistle, annual
Sonchus oleraceus
Spurge, leafy*
Euphorbia esula
Starthistle, yellow
Centaurea solstitalis
Sunflower
Helianthus annuus
Thistle, artichoke
Cynara cardunculus
Thistle, Canada
Cirsium arvense
Thistle, Russian
Salsola kali
Velvetleaf
Abutilon theophrasti

* Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED

Alder
Alnus spp.
Ash
Fraxinum spp.
Aspen, quaking
Populus tremuloides
Balsam apple*
Momordica charantia
Bearmat (Bearclover)
Chamaebatia foliolosa
Beech
Fagus grandifolia
Birch
Betula spp.
Blackberry
Rubus spp.
Blackgum
Nyssa spp.
Bracken
Peridium spp.
Broom:
French
Cytisus monspessulanus
Scotch
Cytisus scoparius
Buckwheat, California*
Eriogonum fasciculatum
Cascara*
Rhamnus purshiana
Catsclaw*
Acacia greggi
Ceanothus*
Ceanothus spp.
Chamise
Adenostoma fasciculatum
Cherry:
Bitter
Prunus emarginata
Black
Prunus serotina
Pin
Prunus pensylvanica
Coyote brush
Baccharis consanguinea
Creeper, Virginia*
Parthenocissus quinquefolia
Dewberry
Rubus trivialis
*Partial Control, **This product is not registered in California for use on Russian olive.
Dogwood*
Cornus spp. **Elderberry**
Sambucus spp.
Elm*
Ulmus spp.
Eucalyptus
Eucalyptus spp.
Gorse
Ulex europaeus
Hasardia*
Haplopappus squamosus
Hawthorn
Crataegus spp.
Hazel
Corylus spp.
Hickory*
Carya spp.
Holly, Florida/Brazilian Peppertree*
Schinus terebinthifolius
Honeysuckle
Lonicera spp.
Hornbean, American*
Carpinus caroliniana

* Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED (continued)

Kudzu
Pueraria lobata
Locust, black*
Robinia pseudoacacia
Madrone
Arutus menziesii
Manzanita
Arctostaphylos spp.
Maple:
Red**
Acer rubrum
Sugar
Acer saccharum
Vine
Acer circinatum
Monkey Flower*
Mimulus guttatus
Oak:
Black*
Quercus velutina
Northern Pin
Quercus palustris
Post
Quercus stellata
Red
Quercus rubra
Southern Red
Quercus falcate
White*
Quercus alba
Persimmon*
Diospyros spp.

Pine
Pinus spp.
Poison Ivy
Rhus radicans
Poison Oak
Rhus toxicodendron
Poplar, yellow*
Liriodendron tulipifera
Raspberry
Rubus spp.
Redbud, eastern
Cercis canadensis
Redvine*
Brunnichia ovate
Rose, multiflora
Rosa multiflora
Russian olive**
Elaeagnus angustifolia
Sage: black, white
Salvia spp.
Sagebrush, California
Artemisia californica
Salmonberry
Rubus spectabilis
Salt cedar
Tamarixs spp.
Sassafras
Sassafras aibidum
Sourwood
Oxydendrum arboreum
Sweet potato, wild*
Ipomoea pandurata

Sumac:
Poison*
Rhus vernix
Smooth*
Rhus glabra
Winged*
Rhus copallina
Sweetgum
Liquidambar styraciflua
Swordfern*
Polystichum munitum
Tallowtree, Chinese
Sapium sebiferum
Tan Oak
Lithocarpus densiflorus
Thimbleberry
Rubus parviflorus
Tobacco, tree*
Nicotiana glauca
Trumpetcreeper*
Campsis radicans
Waxmyrtle, southern*
Myrica cerifera
Willow
Salix spp.

*Partial Control, **This product is not registered in California for use on Russian olive.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable containers smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by applicable law, Control Solutions, Inc. shall not be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein and to the extent consistent with applicable law, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

Buyer and user assume all responsibilities for safety and use not in strict accordance with directions.

RV121211

Manufactured by
CONTROL SOLUTIONS, INC.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

ERASER MAX
SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Use 7.4 oz. per 1,000 square feet**
- **Season long control**
- **Rainfast within one hour**

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt* ... **43.68%**
Imazapyr, isopropylamine salt** **00.78%**
OTHER INGREDIENTS:..... **55.54%**
TOTAL:..... **100.00%**

ACID EQUIVALENT:
* Glyphosate: 3.158 lbs/gal ** Imazapyr:0.062 lbs/gal

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.(If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 35935-94-53883 **EPA Est. No. 53883-TX-002**

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accidentcall CHEMTREC 1-800-424-9300.
For Medical Emergencies Only, Call (866) 897-8050.

CONTROL SOLUTIONS INC.
5903 GENOA-RED BLUFF ROAD
PASADENA TEXAS 77507

Net Contents: 1 Gallon (3.79 L)

Martin's®

FAST ACTING!
One application kills weeds for up to one year

ERASER™ MAX

SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Works two ways**
- **Season long control**
- **Covers 43,243 square feet**

RAINFAST WITHIN ONE HOUR

CONTROLS:

- Grasses
- Broadleaf Weeds
- Brush and Vines

FOR UP TO ONE YEAR

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	43.68%
Imazapyr, isopropylamine salt**	00.78%
OTHER INGREDIENTS:	55.54%
TOTAL:	100.00%

ACID EQUIVALENT: * Glyphosate: 3.158 lbs/gal
** Imazapyr:0.062 lbs/gal

KEEP OUT OF REACH OF CHILDREN

DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC
For Medical Emergencies Only, Call (866) 897-8050

EPA Reg. No. 35935-94-53883
EPA Est. No. 288-IL-001

A **CONTROL SOLUTIONS INC.** PRODUCT

0 72693 24900 4

NET CONTENTS: **2.5 GALLONS** (9.46 L)

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER – PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are natural rubber > 14 mils. If you want more options, follow the instructions for category A on an EPA chemical-resistance selection chart.

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 micros or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on non-crops areas: Industrial sites, Petroleum tank farms, Lumberyards, Manufacturing Sites, Storage Areas, Airports, Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Patios, Vacant lots, Paved areas (including crack and crevice), Warehouse areas, Urban areas, Recreational areas, Play areas, Tennis courts, Fencerows, Along fences of paddocks, corrals, feedlots, and livestock holding areas, Hedgerows, Dry Ditchbanks, Around domestic dwellings, Around farm buildings and barns, Agricultural uncultivated areas, Shelter beds, Farm yards, Farm premises, Outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses, and For establishment and maintenance of wildlife openings

Apply to locations only where no vegetation growth is desired for up to one year.

WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than six inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Avoiding product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems or desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed one year.
- Do not use on desirable lawns.
- Do not apply when wind speeds are greater than 10 miles per hour.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

HOW TO APPLY

Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled lists

GRASS/NUTSEDGE WEED SPECIES CONTROLLED

Bahiagrass
Paspalum notatum

Bentgrass
Agrostis spp.

Bermudagrass
Cynodon dactylon

Bluegrass, Kentucky
Poa spp.

Brome
Bromus spp.

Bromegrass, smooth
Bromus inermis

Canarygrass, reed
Phalaris arundinacea

Cattail
Typha spp.

Cogongrass
Imperata cylindrical

Dallisgrass
Paspalum dilatatum

Fescues
Festuca spp.

Fescue, tall
Festuca arundinacea

Guineagrass
Panicum maximum

Johnsongrass
Sorghum halepense

Kikuyugrass
Pennisetum clandestinum

Knotgrass
Paspalum distichum

Muhly, wirestem
Muhlenbergia frondonsa

Napier grass
Pennisetum purpureum

Nutsedge; purple, yellow
Cyperus rotundus
Cyperus esculentus

Orchardgrass
Dactylis glomerata

Pampas grass
Cortaderia spp.

Panicum
Panicum spp.

Para grass
Brachiaria mutica

Phragmites*
Phragmites spp.

Quackgrass
Agropyron repens

Reed, giant
Arundo donax

Ryegrass, perennial
Lolium perenne

Timothy
Phleum pratense

Torpedograss*
Panicum repens

Vaseygrass
Paspalum urvillei

Velvetgrass
Holcus spp.

Wheatgrass, western
Agropyron smithii

* Partial Control

BROADLEAF WEED SPECIES CONTROLLED

Alfalfa
Medicago sativa

Alligatorweed*
Alternanthera philoxeroides

Anise (fennel)
Foeniculum vulgare

Artichoke, Jerusalem
Helianthus tuberosus

Bassia, fivehook
Bassia hyssopifolia

Bindweed, field
Convolvulus arvensis

Blueweed, Texas
Helianthus ciliaris

Bracken fern
Pteridium aquilinum

Bursage, woollyleaf
Franseria tomentosa

Clover, red
Trifolium pretense

Clover, white
Trifolium repens

Dandelion
Taraxacum officinale

Dock, curly
Rumex crispus

Dogbane, hemp
Apocynum cannabinum

Fiddleneck
Amsinckia spp.

Fleabane
Erigeron spp.

Fleabane, hairy
Conyza bonariensis

Horsenettle
Solanum carolinense

Horseradish
Armoracia rusticana

Ice plant
Mesembryanthemum crystallinum

Knapweed
Centaurea repens

Kochia
Kochia scoparia

Lantana
Lantana camara

Lespedeza
Lespedeza spp.

Lettuce, prickly
Lactuca serriola

Milkweed
Asclepias spp.

Mullein, common
Verbascum thapsus

Nightshade, silverleaf
Solanum elaeagnifolium

Poison hemlock
Conium maculatum

Ragweed, common
Ambrosia artemisiifolia

Ragweed, giant
Ambrosia trifida

Smartweed, Pennsylvania
Polygonum pensylvanicum

Smartweed, swamp
Polygonum coccineum

Sowthistle, annual
Sonchus oleraceus

Spurge, leafy*
Euphorbia esula

Starthistle, yellow
Centaurea solstitalis

Sunflower
Helianthus annuus

Thistle, artichoke
Cynara cardunculus

Thistle, Canada
Cirsium arvense

Thistle, Russian
Salsola kali

Velvetleaf
Abutilon theophrasti

TREE, BRUSH AND VINE SPECIES CONTROLLED

Alder
Alnus spp.

Ash
Fraxinum spp.

Aspen, quaking
Populus tremuloides

Balsam apple*
Momordica charantia

Bearmat (Bearclover)
Chamaebatia foliolosa

Beech
Fagus grandifolia

Birch
Betula spp.

Blackberry
Rubus spp.

Blackgum
Nyssa spp.

Bracken
Peridium spp.

Broom:
- **French**
  Cytisus monspessulanus
- **Scotch**
  Cytisus scoparius

Buckwheat, California*
Eriogonum fasciculatum

Cascara*
Rhamnus purshiana

Catsclaw*
Acacia greggi

Ceanothus*
Ceanothus spp.

Chamise
Adenostoma fasciculatum

Cherry:
- **Bitter**
  Prunus emarginata
- **Black**
  Prunus serotina
- **Pin**
  Prunus pensylvanica

Coyote brush
Baccharis consanguinea

Creeper, Virginia*
Parthenocissus quinquefolia

Dewberry
Rubus trivialis

Dogwood*
Cornus spp.

Elderberry
Sambucus spp.

Elm*
Ulmus spp.

Eucalyptus
Eucalyptus spp.

Gorse
Ulex europaeus

Hasardia*
Haplopappus squamosus

Hawthorn
Crataegus spp.

Hazel
Corylus spp.

Hickory*
Carya spp.

Holly, Florida/Brazilian Peppertree*
Schinus terebinthifolius

Honeysuckle
Lonicera spp.

Hornbean, American*
Carpinus caroliniana

Kudzu
Pueraria lobata

Locust, black*
Robinia pseudoacacia

Madrone
Arutus menziesii

Manzanita
Arctostaphylos spp.

Maple:
- **Red****
  Acer rubrum
- **Sugar**
  Acer saccharum
- **Vine**
  Acer circinatum

Monkey Flower*
Mimulus guttatus

Oak:
- **Black***
  Quercus velutina
- **Northern Pin**
  Quercus palustris
- **Post**
  Quercus stellata
- **Red**
  Quercus rubra
- **Southern Red**
  Quercus falcate
- **White***
  Quercus alba

Persimmon*
Diospyros spp.

Pine
Pinus spp.

Poison Ivy
Rhus radicans

Poison Oak
Rhus toxicodendron

Poplar, yellow*
Liriodendron tulipifera

Raspberry
Rubus spp.

Redbud, eastern
Cercis canadensis

Redvine*
Brunnichia ovate

Rose, multiflora
Rosa multiflora

Russian olive**
Elaeagnus angustifolia

Sage: black, white
Salvia spp.

Sagebrush, California
Artemisia californica

Salmonberry
Rubus spectabilis

Salt cedar
Tamarixs spp.

Sassafras
Sassafras aibidum

Sourwood
Oxydendrum arboreum

Sweet potato, wild*
Ipomoea pandurata

Sumac:
- **Poison***
  Rhus vernix
- **Smooth***
  Rhus glabra
- **Winged***
  Rhus copallina

Sweetgum
Liquidambar styraciflua

Swordfern*
Polystichum munitum

Tallowtree, Chinese
Sapium sebiferum

Tan Oak
Lithocarpus densiflorus

Thimbleberry
Rubus parviflorus

Tobacco, tree*
Nicotiana glauca

Trumpetcreeper*
Campsis radicans

Waxmyrtle, southern*
Myrica cerifera

Willow
Salix spp.

*Partial Control, **This product is not registered in California for use on Russian olive.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:
Nonrefillable containers smaller than 5 gallons:
Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying.
Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by applicable law, Control Solutions, Inc. shall not be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein and to the extent consistent with applicable law, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

Buyer and user assume all responsibilities for safety and use not in strict accordance with directions.

RV121211

Manufactured by
CONTROL SOLUTIONS, INC.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

ERASER MAX
SUPER CONCENTRATE

Not for use near desirable vegetation. For outdoor use only.

- **Kills weeds and grasses, roots and all**
- **Use 7.4 oz. per 1,000 square feet**
- **Season long control**
- **Rainfast within one hour**

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	**43.68%**
Imazapyr, isopropylamine salt**	**00.78%**
OTHER INGREDIENTS:	**55.54%**
TOTAL:	**100.00%**

ACID EQUIVALENT:

* Glyphosate: 3.158 lbs/gal ** Imazapyr:0.062 lbs/gal

EPA Reg. No. 35935-94-53883
EPA Est. No. 228-IL-001

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

SEE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 8:00 AM-12:00 PM PST, or the SafetyCall HotLine at 1-866-897-8050. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accidentcall CHEMTREC 1-800-424-9300.
For Medical Emergencies Only, Call (866) 897-8050.

CONTROL SOLUTIONS INC.
5903 GENOA-RED BLUFF ROAD
PASADENA TEXAS 77507

Net Contents: 2.5 Gallon (9.46 L)