O-ACE-sis

Dy-Chlor II

Shock, Algaecide and Stabilizer in one

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

8897.12

ACTIVE INGREDIENT
Sodium dichloro-s-triazinetrione dihydrate: 99.0%
OTHER INGREDIENTS: 1.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NET WEIGHT 2 LBS (0.91 kg)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARDS: Strong oxidizing agent: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water. **NOTE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Read entire label and use strictly in accordance with precautionary statements and directions.

FOR SWIMMING POOL DISINFECTANT: When used as directed, this product is effective as a swimming pool water disinfecting agent.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2 - 7.6. Add stabilizer to establish a minimum level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Check for metals. Before using this product, add stain and scale inhibitor to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

SUPERCHLORINATION: Superchlorination is necessary at the beginning of the bathing season, whenever the pool is filled, every week during hot weather, and following heavy rain or windstorms. Superchlorinate the pool with a suitable granular product by following directions below or on another product's label. Keep pump-filter system running for at least 10 hours after treatment. Frequency of treatment is dependent on ambient temperatures, light intensity, and bather load. DO NOT reenter pool until the chlorine residual has dropped to 1.0 – 3.0 ppm.

For superchlorination, broadcast one pound of this product per 10,000 gallons directly into the water in the deep end of the pool. To prevent damage to pool surface, use a pool brush to disperse any granules that may have settled to the bottom of your pool. NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES. In water temperatures less than 70°F, or as an alternate application procedure, predissolve this product prior to applying evenly to the deep end of the pool. Dissolve this product outdoors, in a clean plastic bucket stirring with a clean plastic or wooden spoon. Add this product to water, NEVER add water to this product. NEVER add more than 1 pound of this product to 3 gallons of cool water. Do not mix with other products while predissolving.

MAINTENANCE DOSAGE: With pump running, broadcast 4 ounces of this product per 10,000 gallons directly into the water in the deep end of the pool as an initial treatment. Repeat additions until a residual of 1-3 ppm chlorine is established as determined by the use of a test kit. To prevent damage to pool surface, use a pool brush to disperse granules that may have settled to the bottom of the pool.

NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES. Regular use of a test kit is necessary to determine when it is necessary to add another dose of this product to maintain a residual of 1-3 ppm available chlorine in the pool water. An average daily dose requirement is 2-3 ounces of this product per 10,000 gallons of water.

After use of this product it is recommended that a preventative algae treatment be added on a weekly basis.

REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM CHLORINE DUE TO RISK OF BODY INJURY.

FOR SWIMMING POOL ALGAE: When used as directed, this product kills algae and will rid your pool of unsightly algae spots. This product is ideal for use in vinyl lined, fiberglass or colored plaster surface pools.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2 - 7.6. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface. When using other products as outlined in the directions for this product, follow directions on those products.

Before using this product, brush all surface-clinging algae paying special attention to pool steps, ladder steps and around skimmer and lights. At night, or when the pool is not in use, broadcast this product directly into the water in the deep end of the pool with pump running. Use two pounds of this product per 10,000 gallons for medium to heavy algae growth and one pound per 10,000 gallons for light algae growth. To prevent possible damage to pool surface, use a pool brush to disperse any granules that may have settled to the bottom of the pool. Brush any remaining algae and clean/backwash filter. If algae is still visible, repeat treatment.

REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM CHLORINE DUE TO RISK OF BODY INJURY.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding container.

DISPOSAL:
If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA REG. NO. 69681-8-75377
EPA EST. NO. 69681-TX-001

Distributed by:
Water Techniques, Inc.
14260 W Newberry Rd. #162
Newberry, FL 32669-2765

LBL021035OAC / 060408

7 58293 47352 9