



LICENSED

PERIOD 2015-2017 LIC. NO. 9163.94

Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

- Kills algae & bacteria
- Calcium free
- Fast acting
- Salt system compatible

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for other precautions

ACTIVE INGREDIENT:

Sodium Hypochlorite.....	10.0%
OTHER INGREDIENTS.....	90.0%
TOTAL.....	100.0%

FIRST AID: Call a poison control center (1-866-366-5048) or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



Chlorinate

1 GAL (128 oz)

NET CONTENTS 1 GALLON (128 FL OZ) 3.78 L

SEAL TO FALL HERE

HDX™

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION: Add 13 fl. oz. of this product for each 10,000 gal. of water to yield an available chlorine residual of 1 ppm. Maintain 1.0 to 3.0 ppm in unstabilized pools and 1.0 to 1.5 ppm in stabilized pools. To start-up or superchlorinate (shock treatment) a pool add 64 to 128 fl. oz. of this product for each 10,000 gal. of water to yield 5 to 10 ppm chlorine residual. DO NOT enter pool until residual is less than 4.0 ppm. Add this product at night while running pump and filter. Check in the morning and adjust as necessary.

IMPORTANT. Maintain pH between 7.2 to 7.6. Maintain alkalinity between 50 to 100 ppm.

WINTERIZING POOLS: While water is still clear and clean, apply 40 fl. oz. of product per 10,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

EPA Reg. No. 7616-45

EPA Est. No. 7616-CA-01(C), 70271-CA-2(G), CO-1(L), FL-1(M), GA-1(S), TX-1(B), VA-1(P), WA-1(F), CAN-1(A), 55852-IL-01(CP)

Letter designation in lot code printed above or below label on bottle identifies actual establishment

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

DANGER: CORROSIVE, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until vapors have dissipated.

Environmental Hazards: This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazards: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. **PRODUCT DISPOSAL:** Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.



Recycle

MANUFACTURED BY:
KIK POOL ADDITIVES INC.
5160 E. AIRPORT DRIVE,
ONTARIO, CA 91761-7824

MARKETED THROUGH:
HOME DEPOT
2455 PACES FERRY RD., N.W.
ATLANTA, GA 30339

HOMEDEPOT.COM/HDX




0 5 9 6 4 7 9 1 1 6 3 7

Left Side Back Panel

2-PACK
BOX LABEL



SKU 346 275



Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

- Kills algae & bacteria
- Fast acting
- Calcium free
- Salt system compatible



Chlorinate

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for other precautions

ACTIVE INGREDIENT:

Sodium Hypochlorite.....10.0%

OTHER INGREDIENTS.....90.0%

TOTAL.....100.0%

FIRST AID: Call a poison control center (1-866-366-5048) or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

2 GAL (256 oz)

NET CONTENTS 2 X 1 GALLON (128 FL OZ) 3.78 L BOTTLES = TOTAL 2 GALLONS.


SKU 346 275

**CUSTOMER RESPONSIBILITY:
READ TRANSPORTATION INSTRUCTIONS
BEFORE PURCHASE.**

DO NOT STORE CHLORINE NEAR ACID.

**SOLD BY CASE ONLY.
PRODUCT REQUIRES VENTED CAP.**

**THE MANUFACTURER ASSUMES NO
LIABILITIES FOR MISHANDLING OR MISUSE.**



HDX™

Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

NOTICE:

- THIS PRODUCT IS INTENDED FOR SWIMMING POOL TREATMENT ONLY
- DO NOT TRANSPORT IN PASSENGER COMPARTMENT OF VEHICLE
- SPILLAGE MAY CAUSE INJURY TO PERSON OR PROPERTY
- CARRY IN SEPARATED BAGGAGE COMPARTMENT OR A LEAK-PROOF CONTAINER BRACED IN AN UPRIGHT POSITION.
- BOTTLES LEAK IF TIPPED

EPA Reg. No. 7616-45

EPA Est. No. 7616-CA-01(C), 70271-CA-2(G), CO-1(L), FL-1(M), GA-1(S), TX-1(B), VA-1(P), WA-1(F), CAN-1(A), 55852-IL-01(CP)

Letter designation in lot code printed above or below label on bottle identifies actual establishment

HDX™

Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

SKU 346 275

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION: Add 13 fl. oz. of this product for each 10,000 gal. of water to yield an available chlorine residual of 1 ppm. Maintain 1.0 to 3.0 ppm in unchlorinated pools and 1.0 to 1.5 ppm in chlorinated pools. To start-up or superchlorinate shock treatment a pool add 64 to 128 fl. oz. of this product for each 10,000 gal. of water to yield 5 to 10 ppm chlorine residual. DO NOT enter pool until residual is less than 4.0 ppm. Add this product at night while running pump and filter. Check in the morning and adjust as necessary.

IMPORTANT: Maintain pH between 7.2 to 7.6. Maintain alkalinity between 50 to 100 ppm. **WINTERIZING POOLS:** While water is still clear and clean, apply 40 fl. oz. of product per 10,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.



SKU 346 275

Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

DANGER: CORROSIVE, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until vapors have dissipated.

Environmental Hazards: This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazards: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.



STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. **PRODUCT DISPOSAL:** Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

HDX™

SKU 346 275

Chlorinating Liquid

- Kills algae & bacteria
- Fast acting
- Calcium free
- Salt system compatible



Recycle

MANUFACTURED BY:
KIK POOL ADDITIVES INC.
5160 E. AIRPORT DRIVE,
ONTARIO, CA 91761-7824

MARKETED THROUGH:
HOME DEPOT
2455 PACES FERRY RD., N.W.
ATLANTA, GA 30339
HOMEDEPOT.COM/HDX

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for other precautions

ACTIVE INGREDIENT:

Sodium Hypochlorite.....10.0%

OTHER INGREDIENTS.....90.0%

TOTAL.....100.0%




0 5 9 6 4 7 9 1 1 6 3 7

NET CONTENTS 2 X 1 GALLON (128 FL OZ) 3.78 L BOTTLES = TOTAL 2 GALLONS.

3-PACK
BOX LABEL



SKU 000 000



Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

- Kills algae & bacteria
- Fast acting
- Calcium free
- Salt system compatible

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for other precautions

ACTIVE INGREDIENT:

Sodium Hypochlorite.....10.0%

OTHER INGREDIENTS.....90.0%

TOTAL.....100.0%

FIRST AID: Call a poison control center (1-866-366-5048) or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



Chlorinate

3 GAL (384 oz)

NET CONTENTS 3 X 1 GALLON (128 FL OZ) 3.78 L BOTTLES = TOTAL 3 GALLONS



SKU 000 000

Chlorinating Liquid

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION: Add 13 fl. oz. of this product for each 10,000 gal. of water to yield an available chlorine residual of 1 ppm. Maintain 1.0 to 3.0 ppm in unstabilized pools and 1.0 to 1.5 ppm in stabilized pools. To start-up or superchlorinate (shock treatment) a pool add 64 to 128 fl. oz. of this product for each 10,000 gal. of water to yield 5 to 10 ppm chlorine residual. DO NOT enter pool until residual is less than 4.0 ppm. Add this product at night while running pump and filter. Check in the morning and adjust as necessary.

IMPORTANT. Maintain pH between 7.2 to 7.6. Maintain alkalinity between 50 to 100 ppm.

WINTERIZING POOLS: While water is still clear and clean, apply 40 fl. oz. of product per 10,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.


PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

DANGER: CORROSIVE, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until vapors have dissipated.

Environmental Hazards: This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazards: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. **PRODUCT DISPOSAL:** Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.





2 0 0 5 9 6 4 7 9 1 1 6 2 4

HDX™

Chlorinating Liquid

SKU 000 000



KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for other precautions

ACTIVE INGREDIENT:

Sodium Hypochlorite.....10.0%
OTHER INGREDIENTS.....90.0%
TOTAL.....100.0%

NET CONTENTS 3 X 1 GALLON (128 FL OZ) 3.78 L BOTTLES = TOTAL 3 GALLONS



Recycle

MANUFACTURED BY:
KIK POOL ADDITIVES INC.
5160 E. AIRPORT DRIVE,
ONTARIO, CA 91761-7824
MARKETED THROUGH:
HOME DEPOT
2455 PACES FERRY RD., N.W.
ATLANTA, GA 30339
HOMEDEPOT.COM/HDX



HDX™

SKU 000 000

Chlorinating Liquid

For Everyday Chlorination & Shock Treatment

- Kills algae & bacteria
- Fast acting
- Calcium free
- Salt system compatible



Chlorinate

3 GAL (384 oz)

NOTICE:

- **THIS PRODUCT IS INTENDED FOR SWIMMING POOL TREATMENT ONLY**
- **DO NOT TRANSPORT IN PASSENGER COMPARTMENT OF VEHICLE**
- **SPILLAGE MAY CAUSE INJURY TO PERSON OR PROPERTY**
- **CARRY IN SEPARATED BAGGAGE COMPARTMENT OR A LEAK-PROOF CONTAINER BRACED IN AN UPRIGHT POSITION.**
- **BOTTLES LEAK IF TIPPED**

EPA Reg. No. 7616-45

EPA Est. No. 7616-CA-01(C), 70271-CA-2(G), CO-1(L), FL-1(M), GA-1(S), TX-1(B), VA-1(P), WA-1(F), CAN-1(A), 55852-IL-01(CP)

Letter designation in lot code printed above or below label on bottle identifies actual establishment

**CUSTOMER RESPONSIBILITY:
READ TRANSPORTATION
INSTRUCTIONS BEFORE PURCHASE.**

DO NOT STORE CHLORINE BY ACID.

**SOLD BY CASE ONLY.
PRODUCT REQUIRES VENTED CAP.**

**THE MANUFACTURER ASSUMES NO LIABILITIES
FOR MISHANDLING OR MISUSE.**