

ECOLAB®

STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9203.158**



Phase 1 Sanitizer

Ecotemp®

10218

Net Contents: 1 U.S. gal/3.78 L

ACTIVE INGREDIENT:

Sodium Hypochlorite: 8.4%

OTHER INGREDIENTS: 91.6%

TOTAL: 100.0%

(provides a minimum available chlorine of 8%)

KEEP OUT OF REACH OF CHILDREN

DANGER See side panel for Precautionary Statements and First Aid.

Phase 1 Sanitizer

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

DO NOT MIX WITH ANYTHING BUT WATER

AVAILABLE CHLORINE
TABLE OF PROPORTIONS

100 ppm - 2 oz. in 13 gal. water/1 oz. in 6.5 gal. water

TABLEWARE SANITIZER AND DESTAINER FOR MECHANICAL SPRAY WAREWASHING MACHINES

For sanitizing tableware in low-temperature warewashing machines, inject *Phase 1 Sanitizer* into the final rinse water at concentration of 100 ppm available chlorine. Do not exceed 200 ppm. Air dry. To ensure that available chlorine concentration does not fall below 50 ppm, periodically test the rinse solution with a suitable test kit and adjust the dispensing rate accordingly. Consult your local Ecolab Specialist for technical assistance and further information on sanitizing tableware in warewashing machines.

FORMULATED FOR USE WITH THE ECOLAB AUTOMATIC DISPENSING SYSTEMS. DO NOT USE ON SILVER AND SILVER PLATE.

NOTE: For mechanical operations, prepared use solutions may not be reused for sanitizing but may be reused for other purposes such as cleaning.

For service or additional information, call 1-800-35-CLEAN (352-5326).

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

Phase 1 Sanitizer

FOR INDUSTRIAL USE PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear rubber gloves, chemical goggles and protective clothing. Wash after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL 1-651-222-5352 (IN THE USA).

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 1677-52

EPA Est.: 1677-IL-2 (J), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-1 (S), 1677-MN-1 (P), 20271-CA-2 (A), 1677-CA-2 (R), 1677-WV-1 (V), 55852-IL-01 (BC).

Superscript refers to first letter of date code

ECOLAB® Ecolab Inc., Institutional Division
370 Wabasha Street N.
St. Paul, MN 55102-1390 U.S.A.

© 2010 Ecolab Inc. Made in U.S.A. 708213/5403/0810

All Rights Reserved

K

Phase 1 Sanitizer

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

PESTICIDE STORAGE: Store unmixed concentrates in a cool, dark, dry place in the original containers. Always replace covers. In case of spill, flood the area with large quantities of water.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available, or discard in trash.

