

LICENSED

**ECOLAB**® PERIOD 2014-2016 LIC. NO. 9203.332



**63 Alkaline  
Bathroom Cleaner  
& Disinfectant**

For use in:



**14206**  
Net Contents: 2 L/0.52 U.S. gal

**ACTIVE INGREDIENTS:**

Octyl decyl dimethyl ammonium chloride.....	6.510%
Dioctyl dimethyl ammonium chloride.....	2.604%
Didecyl dimethyl ammonium chloride.....	3.906%
Alkyl (C14, 50%; C12, 40%; C16, 10%)	
dimethyl benzyl ammonium chloride.....	8.680%
<b>OTHER INGREDIENTS:</b> .....	<b>78.300%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER | PELIGRO**

See side panel for Precautionary Statements and First Aid.  
Refer to back label for complete directions for use.

**PELIGRO:** Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor or going for treatment.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:**

Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:**

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

One-Step Disinfectant - Cleaner - Fungicide - Mildewstat - Virucide\* - Deodorizer for Hospitals, Institutional and Industrial Use

This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is a concentrated one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal\* [including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus], fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.

This product is effective against: Avian Influenza Virus (H3N2), Avian Influenza Virus (H5N1), Avian Infectious Bronchitis Virus, Canine Distemper Virus, Feline Calcivirus, Newcastle's Disease Virus, Pseudorabies Virus.

As a disinfectant, this product is effective against: *Enterococcus faecalis* - Vancomycin Resistant (VRE), *Staphylococcus aureus* - Methicillin-Resistant (MRSA) and *Norwalk Virus*. (For the complete list of organisms, please refer to the case insert).

Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions and industry.

This product leaves a clean fresh scent.

EPA Reg. No. 6836-78-1677

EPA Est. No. 1677-L-2(J), 1677-TX-1(D), 1677-GA-1(M), 1677-MN-1(P), 1677-CA-1(S), 1677-CA-2(R), 1677-WV-1(V), 303-IN-1(L).

The superscript refers to the first letter of the date code.

Ecolab Inc. - 370 Wabasha Street N - St. Paul MN - 55102-1390 USA

© 2012 Ecolab USA Inc. All rights reserved · Made in USA  
744720/5407/0512

## 63 Alkaline Bathroom Cleaner & Disinfectant

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilution:

Disinfection (1:256) ½ oz. per gallon of water	[848 ppm active]
Disinfection (1:128) 1 oz. per gallon of water	[1695 ppm active]
Disinfection (1:64) 2 oz. per gallon of water	[3390 ppm active]

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

**Preparation of Use-Solution:** Mix ½ oz. - 1 oz. per gallon of water [1:256 - 1:128]. For heavy duty use, mix 2 oz. per gallon of water [1:64]. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

**DISINFECTANT / VIRUCIDAL\* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:** Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. For Influenza Virus Type A and Human Coronavirus, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

**For fungicidal activity,** this product is an effective fungicide against *Trichophyton mentagrophytes* [the athlete's foot fungus] in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at ½ oz. - 1 oz. per gallon in 200 ppm hard water and 5% serum.

**For mold and mildew,** At ½ oz. - 1 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**BACTERICIDAL STABILITY OF USE-DILUTION:** Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

This product is effective against *Enterococcus faecalis* - Vancomycin Resistant, *Staphylococcus aureus* - Methicillin-Resistant and *Norwalk Virus (Feline Calicivirus)*. (For the complete list of organisms, please refer to the case insert).

This product is not for use on medical device surfaces.

**TO CLEAN AND DEODORIZE:** Mix ½ oz. - 1 oz. per gallon of water of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

**NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:** Remove gross filth prior to disinfection.

**From Concentrate:** Add ½ oz. - 1 oz. to the bowl and mix. Brush over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

**From Use Solution:** Empty toilet bowl or urinal and apply ½ oz. - 1 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

**For Heavy Duty Use:** Empty toilet bowl or urinal and apply 2 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly, allow to stand for 10 minutes and flush.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with ½ oz. - 1 oz. per gallon use-solution. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi included.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

**Animal viruses:**

Avian Influenza Virus (H3N2)

Avian Influenza Virus (H5N1)

Avian Infectious Bronchitis Virus

Canine Distemper Virus

Feline Calicivirus

Newcastle's Disease Virus

Pseudorabies Virus

**VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS**

**DISINFECTANT / VIRUCIDAL DIRECTIONS:** For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of ½ oz. - 1 oz. of this product per gallon of water for a period of 10 minutes. Use 2 oz per gallon of water to kill Adenovirus Type 5 and type 7. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used to remove litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, vehicles and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

**POULTRY AND SWINE PREMISE DISINFECTANT / VIRUCIDAL DIRECTIONS:** Remove all animals and feeds from premises, vehicles and enclosures such as coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use ½ oz. - 1 oz. of this product per gallon of water. Use 2 oz per gallon of water to kill Adenovirus Type 5 and type 7. Saturate surfaces with the disinfecting solution for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

**For service or additional information, call 1-800-35-CLEAN (352-5326).**

Ecolab Inc. - 370 Wabasha Street N - St. Paul MN - 55102-1390 USA

© 2012 Ecolab USA Inc - All rights reserved - Made in USA

744957/5406/0512

RETAIN THIS INFORMATION FOR YOUR FILES

# 63 Alkaline Bathroom Cleaner and Disinfectant

## ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride	6.510%
Diocetyl dimethyl ammonium chloride	2.604%
Didecyl dimethyl ammonium chloride	3.906%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	8.680%

OTHER INGREDIENTS: 78.300%

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

## DANGER | PELIGRO

See product container for complete product information, precautionary statements, first aid and directions for use.

63 Alkaline Bathroom Cleaner and Disinfectant is a one-step Hospital Use disinfectant, bactericidal according to the current AOAC Use-Dilution Test Method and Virucidal\* according to the virucidal qualification modified in the presence of 200 ppm hard water plus 5% organic serum against:

- Pseudomonas aeruginosa* [*Pseudomonas*]
- Staphylococcus aureus* [*Staph*]
- Salmonella enterica* [*Salmonella*]
- Acinetobacter baumannii*
- Brevibacterium ammoniagenes* [*Brevibacterium*]
- Campylobacter jejuni*
- Enterobacter aerogenes*
- Enterococcus faecalis* [*Enterococcus*]
- Enterococcus faecalis* - Vancomycin Resistant [VRE]
- Escherichia coli* [*E. coli*]
- ESBL *Escherichia coli* - [Extended spectrum beta-lactamase producing *E.coli*]
- Klebsiella pneumoniae* [*Klebsiella*]
- Legionella pneumophila*
- Listeria monocytogenes* [*Listeria*]
- Pseudomonas cepacia* [*Pseudomonas*]
- Salmonella schottmuelleri* [*Salmonella*]
- Salmonella typhi* [*Salmonella*]
- Serratia marcescens* [*Serratia*]
- Shigella dysenteriae* [*Shigella*]
- Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400)
- Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)
- Staphylococcus aureus* - Methicillin-Resistant [MRSA]
- Staphylococcus aureus* - Multi-Drug Resistant [resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro]
- Staphylococcus aureus* - Vancomycin Intermediate Resistant - [VISA]
- Streptococcus pyogenes* [Strep] [a cause of scarlet fever]

EPA Reg. No. 6836-78-1677  
EPA Est. No.: 303-IN-1 (L), 1677-MN-1 (P), 1677-CA-2 (R), 1677-CA-1 (S), 1677-TX-1 (D), 1677-IL-2 (J), 1677-GA-1 (M), 1677-WV-1 (V)  
Superscript refers to first letter of date code.



Distributed by:  
Ecolab Inc. · 370 Wabasha Street N ·  
St. Paul MN · 55102-1390 USA

© 2012 Ecolab USA Inc · All rights reserved · Made in USA  
713028/5404/0412

- Vibrio cholerae*
- Viruses**
- \*Adenovirus Type 5
- \*Adenovirus Type 7
- \*Hepatitis B Virus [HBV]
- \*Hepatitis C Virus [HCV]
- \*Herpes Simplex Virus Type 1
- \*Herpes Simplex Virus Type 2
- \*HIV-1 [AIDS Virus]
- \*Human Coronavirus
- \*Influenza Virus Type A / Brazil [Influenza]
- \*Influenza Virus Type A/Hong Kong [Influenza]
- \*Norwalk Virus [Feline Calicivirus]
- \*Respiratory Syncytial Virus [RSV]
- \*Rotavirus
- \*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]
- \*Vaccinia Virus [Pox Virus]
- Animal Viruses**
- Avian Influenza Virus (H3N2)
- Avian Influenza Virus (H5N1)
- Avian Infectious Bronchitis Virus
- Canine Distemper Virus
- Feline Calicivirus
- Newcastle's Disease Virus
- Pseudorabies Virus
- Fungi**
- Aspergillus niger*
- Trichophyton mentagrophytes* [the Athlete's Foot Fungus] [A cause of Ringworm]

Kills Pandemic 2009 H1N1 influenza A virus.

RETAIN THIS INFORMATION FOR YOUR FILES

# 63 Alkaline Bathroom Cleaner and Disinfectant

## ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride	6.510%
Diocetyl dimethyl ammonium chloride	2.604%
Didecyl dimethyl ammonium chloride	3.906%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	8.680%

OTHER INGREDIENTS: 78.300%

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

## DANGER | PELIGRO

See product container for complete product information, precautionary statements, first aid and directions for use.

63 Alkaline Bathroom Cleaner and Disinfectant is a one-step Hospital Use disinfectant, bactericidal according to the current AOAC Use-Dilution Test Method and Virucidal\* according to the virucidal qualification modified in the presence of 200 ppm hard water plus 5% organic serum against:

- Pseudomonas aeruginosa* [*Pseudomonas*]
- Staphylococcus aureus* [*Staph*]
- Salmonella enterica* [*Salmonella*]
- Acinetobacter baumannii*
- Brevibacterium ammoniagenes* [*Brevibacterium*]
- Campylobacter jejuni*
- Enterobacter aerogenes*
- Enterococcus faecalis* [*Enterococcus*]
- Enterococcus faecalis* - Vancomycin Resistant [VRE]
- Escherichia coli* [*E. coli*]
- ESBL *Escherichia coli* - [Extended spectrum beta-lactamase producing *E.coli*]
- Klebsiella pneumoniae* [*Klebsiella*]
- Legionella pneumophila*
- Listeria monocytogenes* [*Listeria*]
- Pseudomonas cepacia* [*Pseudomonas*]
- Salmonella schottmuelleri* [*Salmonella*]
- Salmonella typhi* [*Salmonella*]
- Serratia marcescens* [*Serratia*]
- Shigella dysenteriae* [*Shigella*]
- Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400)
- Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)
- Staphylococcus aureus* - Methicillin-Resistant [MRSA]
- Staphylococcus aureus* - Multi-Drug Resistant [resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro]
- Staphylococcus aureus* - Vancomycin Intermediate Resistant - [VISA]
- Streptococcus pyogenes* [Strep] [a cause of scarlet fever]

EPA Reg. No. 6836-78-1677  
EPA Est. No.: 303-IN-1 (L), 1677-MN-1 (P), 1677-CA-2 (R), 1677-CA-1 (S), 1677-TX-1 (D), 1677-IL-2 (J), 1677-GA-1 (M), 1677-WV-1 (V)  
Superscript refers to first letter of date code.



Distributed by:  
Ecolab Inc. · 370 Wabasha Street N ·  
St. Paul MN · 55102-1390 USA

© 2012 Ecolab USA Inc · All rights reserved · Made in USA  
713028/5404/0412