

(01) 00748426036530



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before use.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge into lakes, streams, ponds or other

waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

PHYSICAL HAZARDS: Avoid breathing dust from powder.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always wear hand and eye protection when handling infectious waste. This product treats 1200 cc's of fluid.

For use with collection vessels / suction canisters.

- Shake well to thoroughly mix Isolysier LTS-Plus Powder.
- Turn off suction and remove patient tubing.
- Position Saf-T-Top over patient or ortho port on top of suction canister.
- Turn on suction.
- Peel off Remove Before Use sticker.
- With suction on, place palm of hand on bottom of bottle and gently push down to break membrane.
- Suction will draw the LTS-Plus into the suction canister. Be sure that all LTS-Plus Powder is drawn into the suction canister.
- Remove bottle, and cap open port.
- Allow sufficient time for solidification.
- Dispose of encapsulated material according to institutional procedures, State, Federal and Local regulations.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. **If In Eyes:** Hold Eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth to mouth. Call a poison control center or doctor for further treatment advice. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBER

FOR EMERGENCY MEDICAL INFORMATION IN THE US OR CANADA, CALL 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL 1-651-222-5352.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard in trash.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2013-2015** LIC. NO.
9023.450

ISOLYSER® LTS-PLUS™
Liquid Treatment System

1200cc

- Saf-T-Top™ Closed Delivery System
- Treats 1200cc of Fluid

Liquid Medical waste Encapsulation and Treatment For Use Only in Health Care and Veterinary Facilities.

ACTIVE INGREDIENTS:

Sodium Dichloro-s-triazinetrione	10.2%
Other Ingredients	89.8%
Total Ingredients	100.0%

(Available Chlorine 5.8%)

The efficacy of this product has been demonstrated in the presence of 20% blood serum.

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See Side Panel for First Aid Treatment

EPA Reg. No. 1677-229 EPA Est. No. 81868-TN-1

Customer Service: 1-800-824-3027 or
International: 1-662-244-3192

Manufactured for:
Ecolab • 370 Wabasha Street N •
St Paul MN 55102-1390 USA
© 2009 Ecolab USA Inc •

All rights reserved
Made in United States •
748070/8500/1209

Reorder
LTS1200
6021200

Net Weight:
48 g (1.69 oz)

**DO NOT PRINT
Guide is for
sticker placement
only
Secondary applied
label**

**REMOVE
BEFORE
USING**

(01) 00748426036523



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before use.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge into lakes, streams, ponds or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

PHYSICAL HAZARDS: Avoid breathing dust from powder.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Always wear hand and eye protection when handling infectious waste. This product treats 500 cc's of fluid.

For use with collection vessels / suction canisters.

- Shake well to thoroughly mix Isolyser LTS-Plus Powder.
- Turn off suction and remove patient tubing.
- Position Saf-T-Top over patient or ortho port on top of suction canister.
- Turn on suction.
- Peel off Remove Before Use sticker.
- With suction on, place palm of hand on bottom of bottle and gently push down to break membrane.
- Suction will draw the LTS-Plus into the suction canister. Be sure that all LTS-Plus Powder is drawn into the suction canister.
- Remove bottle, and cap open port.
- Allow sufficient time for solidification.
- Dispose of encapsulated material according to institutional procedures, State, Federal and Local regulations.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. **If In Eyes:** Hold Eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. **If on skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth to mouth. Call a poison control center or doctor for further treatment advice. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBER

FOR EMERGENCY MEDICAL INFORMATION IN THE US OR CANADA, CALL 1-800-328-0026.


FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL 1-651-222-5352.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard in trash.



Liquid Medical waste Encapsulation and Treatment For Use Only in Health Care and Veterinary Facilities.

ACTIVE INGREDIENTS:

Sodium Dichloro-s-triazinetrione	10.2%
Other Ingredients	89.8%
Total Ingredients	100.0%

(Available Chlorine 5.8%)

The efficacy of this product has been demonstrated in the presence of 20% blood serum.

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See Side Panel for First Aid Treatment

EPA Reg. No. 1677-229 EPA Est. No. 81868-TN-1

Customer Service: 1-800-824-3027 or
International: 1-662-244-3192

Manufactured for:
Ecolab • 370 Wabasha Street N •
St Paul MN 55102-1390 USA
© 2009 Ecolab USA Inc •
All rights reserved
Made in United States •
XXXXXX/8500/0909

**Reorder
LTSP500
6020500**

**Net Weight:
48 g (1.69 oz)**



LICENSED

9203.450

PERIOD 2013-2015 LIC. NO.



LICENSED

PERIOD 2010-2012 LIC. NO.

