



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9274.527**

**Disc.**

COPY FREE AREA



ACTIVE INGREDIENTS:

Triethylene Glycol	.....	6.0%
n-Alkyl (40% C <sub>12</sub> , 50% C <sub>14</sub> , 10% C <sub>16</sub> )	.....	0.2%
dimethyl benzyl ammonium saccharinate	.....	93.8%
INERT INGREDIENTS:	.....	
TOTAL:	.....	100.0%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 12 OZ. (340 g)

**Johnson**  
A FAMILY COMPANY

COPY FREE AREA

Oust® Surface Disinfectant & Air Sanitizer kills greater than 99.9% of germs, bacteria, viruses, and fungi on hard non-porous surfaces. Disinfects and deodorizes by killing common germs and controlling their odors. Oust® Surface Disinfectant & Air Sanitizer eliminates odors by killing odor-causing bacteria in the air. It also prevents odors at their source caused by germs, bacteria & mildew.

**Use Oust® Surface Disinfectant & Air Sanitizer:**

to eliminate odors from:

- diaper pails
- pet odors

- garbage cans

- basements

to disinfect or sanitize:

- toilet seats
- doorknobs
- countertops

Kills common cold and flu viruses. Prevents mold\*\* and mildew on hard non-porous surfaces.

Sanitizer: Kills *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard, non-porous surfaces in 30 Seconds.

5-Minute Disinfectant/Virucide/Fungicide: Disinfects Hard, Non-Porous Surfaces by Killing:

**Bacteria: †**

- Staphylococcus aureus* (Staph)
- Salmonella enterica*
- Listeria monocytogenes*
- Enterococcus faecalis*
- Escherichia coli* (E. coli)
- Enterobacter aerogenes*
- Campylobacter jejuni*
- Pseudomonas aeruginosa*

**Viruses: ††**

- Rotavirus - the leading cause of infectious diarrhea in children
- Respiratory Syncytial Virus (RSV) - the leading cause of lower respiratory infection in children and an important cause of ear infections in children
- Influenza A (flu)
- Herpes Simplex Virus Type 1
- Herpes Simplex Virus Type 2
- Human Coronavirus
- Parainfluenza A Virus Type 3

**Fungi: †††**

- Trichophyton mentagrophytes*  
(the fungus that causes athlete's foot)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE EACH USE.**

**TO TEMPORARILY REDUCE ODOR-CAUSING AIRBORNE BACTERIA** and eliminate odors in an average room (12' x 12' x 9'), close all doors, windows and air vents and spray product upward in center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled.

**TO DISINFECT HARD, NON-POROUS SURFACES:** Spray pre-cleaned surface until wet. Allow product to remain on surface for 5 minutes.

**TO SANITIZE\* HARD, NON-POROUS SURFACES:** Spray pre-cleaned surface until wet. Allow product to remain on surface for 30 seconds.

**TO INHIBIT THE GROWTH OF MOLD\*\* AND MILDEW AND THEIR ODORS:** Spray pre-cleaned surface until wet. Let the treated surface air dry. Re-apply as necessary.

\**Staphylococcus aureus* and *Klebsiella pneumoniae* \*\**Aspergillus niger*

DO NOT USE ON BEDDING, MATTRESSES, CLOTHING, CARPET, LEATHER, SILK, rayon fabrics, polished wood, painted surfaces, lacquered metals or acrylic plastics. Spray may leave some hard floors slippery. To avoid slips or falls, do not concentrate spray over hard floors. DO NOT SPRAY ON PETS. Not for use on food contact surfaces.

**STORAGE AND DISPOSAL**

**STORAGE:** Store away from heat, sparks and open flame, in an area inaccessible to children.

**DISPOSAL:** This container may be recycled in the few but growing number of communities where aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in trash.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Avoid contact with food and food utensils. Before using product throughout your home, use in one room and wait 24 hours to ensure that no one has any physical reactions to the product.

**Asthma and Allergy Sufferers:** Consult your physician before using this product in your home.

Before spraying remove birds. After use, ventilate normally prior to returning birds to treated area.

**FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ATTENTION:** Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Help stop inhalation abuse. For more information, visit [www.inhalant.org](http://www.inhalant.org)

**PHYSICAL/CHEMICAL HAZARDS: EXTREMELY FLAMMABLE!** Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

EPA Reg. No. 4822-548 EPA Est. No. 4822-WI-1

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

Sold by ©2010 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A. All Rights Reserved. U.S. Patent No. 7,307,053.



Federal regulations prohibit CFC propellants in aerosols.



Please recycle when empty.

**WAL** DOT 2P

745452

GLUE FLAP



COPY FREE AREA

Kills **99.9%** of  
Germs<sup>†</sup> & Viruses<sup>††</sup>  
on hard, non-porous surfaces

# Oust<sup>®</sup>

## Surface Disinfectant & Air Sanitizer

Clean scent

## ACTIVE INGREDIENTS:

Triethylene Glycol	6.0%
n-Alkyl (40% C <sub>12</sub> -50% C <sub>14</sub> , 10% C <sub>16</sub> )	
dimethyl benzyl ammonium saccharinate	0.2%
INERT INGREDIENTS:	93.8%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 12 OZ. (340 g)

**Johnson**  
A FAMILY COMPANY

Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer kills greater than 99.9% of germs, bacterial, viruses<sup>††</sup>, and fungi<sup>†††</sup> on hard non-porous surfaces. Disinfects and deodorizes by killing common germs and controlling their odors. Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer eliminates odors by killing odor-causing bacteria in the air. It also prevents odors at their source caused by germs, bacteria & mildew.

Use Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer:

to eliminate odors from:

- diaper pails
- pet odors

- garbage cans
- basements

to disinfect or sanitize:

- toilet seats
- doorknobs

- countertops

Kills common cold and flu viruses. Prevents mold<sup>\*\*</sup> and mildew on hard non-porous surfaces.Sanitizer: Kills *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard, non-porous surfaces in 30 Seconds.

5-Minute Disinfectant/Virucide/Fungicide: Disinfects Hard, Non-Porous Surfaces by Killing:

## Bacteria: †

*Staphylococcus aureus* (Staph)  
*Salmonella enterica*  
*Listeria monocytogenes*  
*Enterococcus faecalis*  
*Escherichia coli* (E. coli)  
*Enterobacter aerogenes*  
*Campylobacter jejuni*  
*Pseudomonas aeruginosa*

## Viruses: ††

Rotavirus - the leading cause of infectious diarrhea in children  
◊ Respiratory Syncytial Virus (RSV) - the leading cause of lower respiratory infection in children and an important cause of ear infections in children  
◊ Influenza A (Flu)  
Herpes Simplex Virus Type 1  
Herpes Simplex Virus Type 2  
◊ Human Coronavirus  
◊ Parainfluenza A Virus Type 3

## Fungi: †††

*Trichophyton mentagrophytes*  
(the fungus that causes athlete's foot)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## SHAKE WELL BEFORE EACH USE.

TO TEMPORARILY REDUCE ODOR-CAUSING AIRBORNE BACTERIA and eliminate odors in an average room (12' x 12' x 9'), close all doors, windows and air vents and spray product upward in center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled.

TO DISINFECT HARD, NON-POROUS SURFACES: Spray pre-cleaned surface until wet. Allow product to remain on surface for 5 minutes.

TO SANITIZE\* HARD, NON-POROUS SURFACES: Spray pre-cleaned surface until wet. Allow product to remain on surface for 30 seconds.

TO INHIBIT THE GROWTH OF MOLD\*\* AND MILDEW AND THEIR ODORS: Spray pre-cleaned surface until wet. Let the treated surface air dry. Re-apply as necessary.

\**Staphylococcus aureus* and *Klebsiella pneumoniae* \*\**Aspergillus niger*

DO NOT USE ON BEDDING, MATTRESSES, CLOTHING, CARPET, LEATHER, SILK, rayon fabrics, polished wood, painted surfaces, lacquered metals or acrylic plastics. Spray may leave some hard floors slippery. To avoid slips or falls, do not concentrate spray over hard floors. DO NOT SPRAY ON PETS. Not for use on food contact surfaces.

## STORAGE AND DISPOSAL

STORAGE: Store away from heat, sparks and open flame, in an area inaccessible to children.

DISPOSAL: This container may be recycled in the few but growing number of communities where aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in trash.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS &amp; DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Avoid contact with food and food utensils. Before using product throughout your home, use in one room and wait 24 hours to ensure that no one has any physical reactions to the product. Asthma and Allergy Sufferers: Consult your physician before using this product in your home.

Before spraying remove birds. After use, ventilate normally prior to returning birds to treated area.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ATTENTION: Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Help stop inhalation abuse. For more information, visit [www.inhalant.org](http://www.inhalant.org)

PHYSICAL/CHEMICAL HAZARDS: EXTREMELY FLAMMABLE! Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

EPA Reg. No. 4822-548 EPA Est. No. 4822-WI-1

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

Sold by ©2010 U.S.C. Johnson &amp; Son, Inc., Racine, WI 53403-2236 U.S.A. All Rights Reserved. U.S. Patent No. 7,307,053.



Federal regulations prohibit CFC propellants in aerosols.



Please recycle when empty.

Steel logo and B-WAY DOT 2P

745453



**Kills 99.9% of  
Germs<sup>†</sup> & Viruses<sup>††</sup>**  
on hard, non-porous surfaces

# Oust<sup>®</sup>

**Surface  
& Air  
Sanitizer**

**Outdoor Scent**

## ACTIVE INGREDIENTS:

Triethylene Glycol	.....	6.0%
n-Alkyl (40% C <sub>12</sub> , 50% C <sub>14</sub> , 10% C <sub>16</sub> )	.....	
dimethyl benzyl ammonium saccharinate	.....	0.2%
INERT INGREDIENTS:	.....	93.8%
TOTAL:	.....	100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 12 OZ. (340 g)

**SC Johnson**  
A FAMILY COMPANY

**Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer kills greater than 99.9% of germs, bacteria<sup>†</sup>, viruses<sup>††</sup>, and fungi<sup>†††</sup> on hard non-porous surfaces. Disinfects and deodorizes by killing common germs and controlling their odors. Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer eliminates odors by killing odor-causing bacteria in the air. It also prevents odors at their source caused by germs, bacteria & mildew.**

**Use Oust<sup>®</sup> Surface Disinfectant & Air Sanitizer:**

to eliminate odors from:

- diaper pails
- pet odors

- garbage cans
- basements

to disinfect or sanitize:

- toilet seats
- doorknobs

- countertops

Kills common cold and flu viruses. Prevents mold<sup>\*\*</sup> and mildew on hard non-porous surfaces.Sanitizer: Kills *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard, non-porous surfaces in 30 Seconds.

5-Minute Disinfectant/Virucide/Fungicide: Disinfects Hard, Non-Porous Surfaces by Killing:

**Bacteria: †**

*Staphylococcus aureus* (Staph)  
*Salmonella enterica*  
*Listeria monocytogenes*  
*Enterococcus faecalis*  
*Escherichia coli* (E. coli)  
*Enterobacter aerogenes*  
*Campylobacter jejuni*  
*Pseudomonas aeruginosa*

**Viruses: ††**

Rotavirus - the leading cause of infectious diarrhea in children  
◊ Respiratory Syncytial Virus (RSV) - the leading cause of lower respiratory infection in children and an important cause of ear infections in children  
◊ Influenza A (Flu)  
Herpes Simplex Virus Type 1  
Herpes Simplex Virus Type 2  
◊ Human Coronavirus  
◊ Parainfluenza A Virus Type 3

**Fungi: †††**

*Trichophyton mentagrophytes*  
(the fungus that causes athlete's foot)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE EACH USE.**

**TO TEMPORARILY REDUCE ODOR-CAUSING AIRBORNE BACTERIA** and eliminate odors in an average room (12' x 12' x 9'), close all doors, windows and air vents and spray product upward in center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled.

**TO DISINFECT HARD, NON-POROUS SURFACES:** Spray pre-cleaned surface until wet. Allow product to remain on surface for 5 minutes.

**TO SANITIZE\* HARD, NON-POROUS SURFACES:** Spray pre-cleaned surface until wet. Allow product to remain on surface for 30 seconds.

**TO INHIBIT THE GROWTH OF MOLD\*\* AND MILDEW AND THEIR ODORS:** Spray pre-cleaned surface until wet. Let the treated surface air dry. Re-apply as necessary.

\**Staphylococcus aureus* and *Klebsiella pneumoniae* \*\**Aspergillus niger*

**DO NOT USE ON BEDDING, MATTRESSES, CLOTHING, CARPET, LEATHER, SILK, rayon fabrics, polished wood, painted surfaces, lacquered metals or acrylic plastics.** Spray may leave some hard floors slippery. To avoid slips or falls, do not concentrate spray over hard floors. **DO NOT SPRAY ON PETS.** Not for use on food contact surfaces.

**STORAGE AND DISPOSAL**

**STORAGE:** Store away from heat, sparks and open flame, in an area inaccessible to children.

**DISPOSAL:** This container may be recycled in the few but growing number of communities where aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in trash.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Avoid contact with food and food utensils. Before using product throughout your home, use in one room and wait 24 hours to ensure that no one has any physical reactions to the product. **Asthma and Allergy Sufferers:** Consult your physician before using this product in your home.

Before spraying remove birds. After use, ventilate normally prior to returning birds to treated area.

**FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ATTENTION:** Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Help stop inhalation abuse. For more information, visit [www.inhalant.org](http://www.inhalant.org)

**PHYSICAL/CHEMICAL HAZARDS: EXTREMELY FLAMMABLE!** Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

EPA Reg. No. 4822-548 EPA Est. No. 4822-WI-1

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

Sold by ©2010 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A. All Rights Reserved. U.S. Patent No. 7,307,053.



Federal regulations prohibit CFC propellants in aerosols.



Please recycle when empty.

**Walmart DOT 2P**

745454

