



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

ALGAE FIGHTING
CLARIFYING
STAIN PREVENTING
WATER SOFTENING

9338.456

ULTRA

3" chlorinating tablets

- chlorinates for up to one week
- contains built-in algae fighter
- contains built-in resistance to sunlight
- contains a built in clarifier
- contains stain and scale preventer
- softens water

1 balance

2

3 shock

4 prevent algae

sanitize

- trata con cloro hasta por una semana
- contiene protección integrada para combatir las algas
- contiene resistencia integrada a la luz solar
- contiene clarificador integrado
- contiene inhibidor de manchas y sarro
- ablanda el agua

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

ACTIVE INGREDIENTS:

Trichloro-s-Triazinetrione 91.1%
 Zinc sulfate monohydrate 3.5%
 OTHER INGREDIENTS: 5.4%
 TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN
MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing such as long sleeves and long pants, and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

OPEN IN A WELL VENTILATED AREA. DO NOT BREATHE DUST OR FUMES.


Read all precautionary statements on back label and all first aid statements before use.

Net Wt. 8.2 lbs. (3.72 kg)

41245

PART NO. 353586

41245-A-0114



DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HTH® Ultra 3™ Chlorinating Tablets are a unique and highly effective pool water sanitizer. Routine sanitization is important to keep your pool water free of bacteria and contaminants. These convenient and easy to use tablets are formulated to protect against chlorine loss from sunlight, and can be used in skimmers, floaters and feeders. In addition to sanitizing, **HTH Ultra 3™ Chlorinating Tablets** have the additional benefits of preventing algae growth, clarifying pool water, and protecting your equipment from stain and scale. They are designed to dissolve slowly to provide a steady source of available chlorine.

For crystal clear pool water, follow our 4 step pool care program: **Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algaecide as directed.**

METHOD OF APPLICATION: Use in a floating dispenser, automatic chlorinator, or feeder designed for this product, or place in skimmer. Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetriene. If placed in the skimmer, run the pump a minimum of eight hours daily. **DO NOT** Use in floaters or feeders that have been used with other water treatment products. **DO NOT** Throw tablets directly into pool. **DO NOT** permit tablets to contact plastic pool linings or metal objects. **DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water always maintain pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm), and calcium hardness above 200 ppm. Test frequently using an **HTH** test kit or test strips that measures all these ranges.

Make any necessary adjustments promptly with the appropriate **HTH** pool care products. Re-entry into treated pools is prohibited with chlorine levels above 4 ppm for risk of bodily injury.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using **HTH Stabilizer & Conditioner**. Follow the directions on the **HTH Stabilizer & Conditioner** to balance pool water, shock treat, and stabilize. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: Ensure that the skimmer basket or floater is free of any other chemicals, tablets, or residue. Place this product in the skimmer basket or floater. Use one tablet per 10,000 gallons of water.

Do not add other chemicals to the skimmer or floater while this product is present. Re-entry into treated swimming pools is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury.

Place a new tablet per 10,000 gallons of pool volume into the skimmer each week, or when the old tablet has fully dissolved. The number of tablets and frequency of use will vary with bather load, water temperature, rain, and pump operating time.

SHOCK TREATMENT: Adjust pH to 7.2 to 7.6 with an HTH pH adjuster per label directions. Shock treat weekly with an HTH shock product to kill bacteria, control algae, and to keep water sparkling clear. Follow label directions of that product.

ALGAE CONTROL: If pool surface develops algae or feels slippery, follow shock treatment directions. Immediately after shock treatment, thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the procedure. Pool must not be entered until the chlorine residual is 1–4 ppm.

PHYSICAL AND CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

- Do not mix this product with a small amount of water. Only add this product directly to your pool.
- Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- Keep all foreign matter, including other water treatment products, away from this product.
- Use only clean and dry utensils to dispense this product.
- Do not allow this product to contact other water treatment products. If used in a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.
- Avoid spilling this product.

Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

- Store in a cool, dry, well ventilated area away from heat or open flame.
- Strong oxidizing agent. This product can increase fire intensity.**
- Keep away from heat and from flame and burning material (like a lighted cigarette).

Contamination or improper use may cause fire, explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. **If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water.** **Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin.**

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE AND DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Non-refillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. **FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.**

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG. NO. 1258-1341

Superscript Used in Lot Number:

EPA EST. NO. 3525-NJ-01 ^[NJ]

EPA EST. NO. 66397-OK-01 ^[OK]

Sold by:

Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

HTH® and the HTH® logo are
registered trademarks of
Arch Chemicals, Inc.



HELPLINE

866-HTH-POOL

Toll-Free

CALL 7 DAYS A WEEK WITH YOUR
QUESTIONS CONCERNING POOL
WATER CARE.
8:00 A.M.-10:00 P.M. EASTERN TIME

Visit HTH POOLS

www.hthpools.com

**IN CASE OF EMERGENCY
CALL: 1-800-654-6911**





- ALGAE FIGHTING
- CLARIFYING
- STAIN PREVENTING
- WATER SOFTENING

ACTIVE INGREDIENTS:
 Trichloro-s-Triazinetrione 91.1%
 Zinc sulfate monohydrate 3.5%
OTHER INGREDIENTS: 5.4%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN
MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

DANGER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing such as long sleeves and long pants, and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

OPEN IN A WELL VENTILATED AREA. DO NOT BREATHE DUST OR FUMES.
 Read all precautionary statements on back label and all first aid statements before use.

Net Wt. 8.2 lbs. (3.72 kg)

ULTRA

3" chlorinating tablets

- chlorinates for up to one week
- contains built-in algae fighter
- contains built-in resistance to sunlight
- contains a built in clarifier
- contains stain and scale preventer
- softens water

- 1 balance **2** 3 shock 4 prevent algae

sanitize

- *trata con cloro hasta por una semana*
- *contiene protección integrada para combatir las algas*
- *contiene resistencia integrada a la luz solar*
- *contiene clarificador integrado*
- *contiene inhibidor de manchas y sarro*
- *ablanda el agua*

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
IN CASE OF EMERGENCY CALL: 1-800-654-6911

41245

PART NO. 353586
 41245-A-0114



DIRECTIONS FOR USE:
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
HTH® Ultra 3" Chlorinating Tablets are a unique and highly effective pool water sanitizer. Routine sanitization is important to keep your pool water free of bacteria and contaminants. These convenient and easy to use tablets are formulated to protect against chlorine loss from sunlight, and can be used in skimmers, floaters and feeders. In addition to sanitizing, **HTH Ultra 3" Chlorinating Tablets** have the additional benefits of preventing algae growth, clarifying pool water, and protecting your equipment from stain and scale. They are designed to dissolve slowly to provide a steady source of available chlorine.

For crystal clear pool water, follow our 4 step pool care program: **Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algacide as directed.**

METHOD OF APPLICATION: Use in a floating dispenser, automatic chlorinator, or feeder designed for this product, or place in skimmer. Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetrione. If placed in the skimmer, run the pump a minimum of eight hours daily. **DO NOT** Use in floaters or feeders that have been used with other water treatment products. **DO NOT** Throw tablets directly into pool. **DO NOT** permit tablets to contact plastic pool linings or metal objects. **DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water always maintain pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm), and calcium hardness above 200 ppm. Test frequently using an **HTH** test kit or test strips that measures all these ranges.

Make any necessary adjustments promptly with the appropriate **HTH** pool care products. Re-entry into treated pools is prohibited with chlorine levels above 4 ppm for risk of bodily injury.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using **HTH Stabilizer & Conditioner**. Follow the directions on the **HTH Stabilizer & Conditioner** to balance pool water, shock treat, and stabilize. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: Ensure that the skimmer basket or floater is free of any other chemicals, tablets, or residue. Place this product in the skimmer basket or floater. Use one tablet per 10,000 gallons of water.

Do not add other chemicals to the skimmer or floater while this product is present. Re-entry into treated swimming pools is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury. Place a new tablet per 10,000 gallons of pool volume into the skimmer each week, or when the old tablet has fully dissolved. The number of tablets and frequency of use will vary with bather load, water temperature, rain, and pump operating time.
SHOCK TREATMENT: Adjust pH to 7.2 to 7.6 with an **HTH** pH adjuster per label directions. Shock treat weekly with an **HTH** shock product to kill bacteria, control algae, and to keep water sparkling clear. Follow label directions of that product.
ALGAE CONTROL: If pool surface develops algae or feels slippery, follow shock treatment directions. Immediately after shock treatment, thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the procedure. Pool must not be entered until the chlorine residual is 1–4 ppm.

PHYSICAL AND CHEMICAL HAZARDS:
DANGER. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

- Do not mix this product with a small amount of water. Only add this product directly to your pool.
- Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- Keep all foreign matter, including other water treatment products, away from this product.
- Use only clean and dry utensils to dispense this product.
- Do not allow this product to contact other water treatment products. If used in a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.
- Avoid spilling this product.

Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

- Store in a cool, dry, well ventilated area away from heat or open flame.
- **Strong oxidizing agent. This product can increase fire intensity.**
- Keep away from heat and from flame and burning material (like a lighted cigarette).

Contamination or improper use may cause fire, explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. **If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin.**
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE AND DISPOSAL:
 Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Non-refillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. **FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.**

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG. NO. 1258-1341
 Superscript Used in Lot Number:
EPA EST. NO. 3525-NJ-01 [NJ]
EPA EST. NO. 66397-OK-01 [OK]

Sold by:
 Arch Chemicals, Inc.
 P.O. Box 724438
 Atlanta, GA 31139-1438

HTH® and the HTH® logo are registered trademarks of Arch Chemicals, Inc.



HELPLINE

866-HTH-POOL

Toll-Free

CALL 7 DAYS A WEEK WITH YOUR QUESTIONS CONCERNING POOL WATER CARE.
 8:00 A.M.-10:00 P.M. EASTERN TIME

Visit **HTH POOLS**

www.hthpools.com

IN CASE OF EMERGENCY
CALL: 1-800-654-6911

STOP!

Do Not Mix with other products or dissolve before use.

Read precautions/first aid statements on label.